

**RECOMMENDED
CONDITIONS OF APPROVAL AND
STANDARD DEVELOPMENT REQUIREMENTS
SEPTEMBER 30, 2015**

Planning Application 2015-7108

1130 Prunelle Court

DESIGN REVIEW for demolition of one existing single family home and construction of four two-story single-family homes on four separate lots;

VARIANCE for individual lot width of each lot

PARCEL MAP to subdivide one lot into four lots.

The following Conditions of Approval [COA] and Standard Development Requirements [SDR] apply to the project referenced above. The COAs are specific conditions applicable to the proposed project. The SDRs are items which are codified or adopted by resolution and have been included for ease of reference, they may not be appealed or changed. The COAs and SDRs are grouped under specific headings that relate to the timing of required compliance. Additional language within a condition may further define the timing of required compliance. Applicable mitigation measures are noted with "Mitigation Measure" and placed in the applicable phase of the project.

In addition to complying with all applicable City, County, State and Federal Statutes, Codes, Ordinances, Resolutions and Regulations, Permittee expressly accepts and agrees to comply with the following Conditions of Approval and Standard Development Requirements of this Permit:

GC: THE FOLLOWING GENERAL CONDITIONS AND STANDARD DEVELOPMENT REQUIREMENTS SHALL APPLY TO THE APPROVED PROJECT.

GC-1. CONFORMANCE WITH APPROVED PLANNING APPLICATION:

All building permit drawings and subsequent construction and operation shall substantially conform with the approved planning application, including: drawings/plans, materials samples, building colors, and other items submitted as part of the approved application. Any proposed amendments to the approved plans or Conditions of Approval are subject to review and approval by the City. The Director of Community Development shall determine whether revisions are considered major or minor. Minor changes are subject to review and approval by the Director of Community Development. Major changes are subject to review at a public hearing. [COA] [PLANNING]

GC-2. PERMIT EXPIRATION:

The permit shall be null and void two years from the date of approval by the final review authority at a public hearing if the approval is not

exercised, unless a written request for an extension is received prior to expiration date and is approved by the Director of Community Development. [SDR] [PLANNING]

GC-3. INDEMNITY:

The applicant/developer shall defend, indemnify, and hold harmless the City, or any of its boards, commissions, agents, officers, and employees (collectively, "City") from any claim, action, or proceeding against the City to attack, set aside, void, or annul, the approval of the project when such claim, action, or proceeding is brought within the time period provided for in applicable state and/or local statutes. The City shall promptly notify the developer of any such claim, action or proceeding. The City shall have the option of coordinating the defense. Nothing contained in this condition shall prohibit the City from participating in a defense of any claim, action, or proceeding if the City bears its own attorney's fees and costs, and the City defends the action in good faith. [COA] [OFFICE OF THE CITY ATTORNEY]

GC-4. NOTICE OF FEES PROTEST:

As required by California Government Code Section 66020, the project applicant is hereby notified that the 90-day period has begun as of the date of the approval of this application, in which the applicant may protest any fees, dedications, reservations, or other exactions imposed by the city as part of the approval or as a condition of approval of this development. The fees, dedications, reservations, or other exactions are described in the approved plans, conditions of approval, and/or adopted city impact fee schedule. [SDR] [PLANNING / OCA]

GC-5. STORMWATER MANAGEMENT PLAN:

Project is subject to Provision C3, of the Municipal Regional Stormwater Permit Order No. R2-2009-0074, as determined by a completed "Stormwater Management Plan Data Form", and therefore must submit a Stormwater Management Plan as per SMC 12.60.140 prior to issuance of the building permit. [SDR] [PLANNING]

GC-6. OFF-SITE IMPROVEMENT PLANS:

Submit off-site improvement plans separate from the Building on-site improvement plans as the off-site improvement plans are approved through a Public Works Encroachment Permit process. [SDR] [PUBLIC WORKS]

GC-7. ENCROACHMENT PERMIT:

Prior to any work in the public right-of-way, obtain an encroachment permit with insurance requirements for all public improvements including a traffic control plan per the latest California Manual on Uniform Traffic Control Devices (MUTCD) standards to be reviewed

and approved by the Department of Public Works. [COA] [PUBLIC WORKS] (SMC 13.08.030, SMC 13.08.060 and SMC 13.08.070)

GC-8. PUBLIC IMPROVEMENTS:

Developer shall install public improvements as required by Sunnyvale Municipal Code Sections 18.08, including but not limited to, curb & gutter, sidewalks, driveway approaches, curb ramps, street pavements, utility extensions and connections, meters/vaults, trees and landscaping, traffic signal/signs, striping, street lights, etc.

All public improvements shall be designed and constructed in accordance with current City design standards, standard details and specifications, and Americans with Disabilities Act (ADA) requirements where applicable, unless otherwise approved by the Department of Public Works.

GC-9. SANITARY SEWER ANALYSIS:

Prior to first off-site plan check submittal, submit a focused sanitary sewer analysis identifying the overall project impact to the City's existing sanitary sewer main(s). This includes, but is not limited to, the following:

- a) A detailed estimate of water consumption in gallons per day or estimate of sanitary sewer discharge in gallons per day; and
- b) Any incremental impact that will result from the new project in comparison to the existing sewer capacity of the immediate downstream mainline on Saranac Drive east of Reinclud Court, and allocation of wastewater discharge from the project site to each of the proposed laterals. Any deficiencies in the existing system in the immediate vicinity of the project will need to be addressed and resolved at the expense of the developer as part of the off-site improvement plans. Any mitigation improvements needed shall be incorporated into the first plan check submittal. [COA] [PUBLIC WORKS]

GC-10. RECORDATION OF PARCEL MAPS:

This project is subject to, and contingent upon recordation of a parcel map. The submittal, approval and recordation of the parcel map(s) shall be in accordance with the provisions of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 Subdivision requirements. Parcel map(s) shall be recorded prior to any grading or building permit issuance. [COA] [PUBLIC WORKS] (SMC 18.38)

PS: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO SUBMITTAL OF BUILDING PERMIT, AND/OR GRADING PERMIT.

PS-1. EXTERIOR MATERIALS REVIEW:

Final exterior building materials and color scheme are subject to review and approval by the Planning Commission/Director of Community Development prior to submittal of a building permit.
[COA] [PLANNING]

BP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS SUBMITTED FOR ANY DEMOLITION PERMIT, BUILDING PERMIT, GRADING PERMIT, AND/OR ENCROACHMENT PERMIT AND SHALL BE MET PRIOR TO THE ISSUANCE OF SAID PERMIT(S).

BP-1. CONDITIONS OF APPROVAL:

Final plans shall include all Conditions of Approval included as part of the approved application starting on sheet 2 of the plans. [COA] [PLANNING]

BP-2. RESPONSE TO CONDITIONS OF APPROVAL:

A written response indicating how each condition has or will be addressed shall accompany the building permit set of plans. [COA] [PLANNING]

BP-3. NOTICE OF CONDITIONS OF APPROVAL:

A Notice of Conditions of Approval shall be filed in the official records of the County of Santa Clara and provide proof of such recordation to the City prior to issuance of any City permit, allowed use of the property, or Final Map, as applicable. The Notice of Conditions of Approval shall be prepared by the Planning Division and shall include a description of the subject property, the Planning Application number, attached conditions of approval and any accompanying subdivision or parcel map, including book and page and recorded document number, if any, and be signed and notarized by each property owner of record.

For purposes of determining the record owner of the property, the applicant shall provide the City with evidence in the form of a report from a title insurance company indicating that the record owner(s) are the person(s) who have signed the Notice of Conditions of Approval.
[COA] [PLANNING]

- BP-4. BLUEPRINT FOR A CLEAN BAY:
The building permit plans shall include a “Blueprint for a Clean Bay” on one full sized sheet of the plans. [SDR] [PLANNING]
- BP-5. FEES AND BONDS:
The following fees and bonds shall be paid in full prior to issuance of building permit.
- a) TRANSPORTATION IMPACT FEE - Pay Traffic Impact fee for the net new trips resulting from the proposed project, estimated at \$6,375.00, prior to issuance of a Building Permit. (SMC 3.50). [SDR] [PLANNING]
 - b) PARK IN-LIEU - Pay Park In-lieu fees estimated at \$172,497.60, prior to approval of the Final Map or Parcel Map. (SMC 18.10). [SDR] [PLANNING]
- BP-6. MECHANICAL EQUIPMENT (EXTERIOR):
Detailed plans showing the locations of individual exterior mechanical equipment/air conditioning units shall be submitted and subject to review and approval by the Director of Community Development prior to issuance of building permits. Proposed locations shall have minimal visual and minimal noise impacts to neighbors and ensure adequate usable open space. Individual exterior mechanical equipment/air conditioning units shall be screened with architecture or landscaping features. [PLANNING] [COA]
- BP-7. LANDSCAPE PLAN:
Landscape and irrigation plans shall be prepared by a certified professional, and shall comply with Sunnyvale Municipal Code Chapter 19.37 requirements. Landscape and irrigation plans are subject to review and approval by the Director of Community Development through the submittal of a Miscellaneous Plan Permit (MPP). The landscape plan shall include the following elements:
- a) For each of the five “protected trees”, (as defined in SMC 19.94) approved for removal, five replacement trees at least 36” or greater shall be planted.
 - b) All areas not required for parking, driveways or structures shall be landscaped.
 - c) Provide trees at minimum 30 feet intervals along side and rear property lines, except where mature trees are located immediately adjoining on neighboring property.
 - d) Ten percent (10%) shall be 24-inch box size or larger and no tree shall be less than 15-gallon size.
 - f) A 36” box tree or greater shall be planted within the rear yards of Lots 2 and 4.
 - g) Decorative paving shall be installed at the entry driveways.

BP-8. LANDSCAPE MAINTENANCE PLAN:

Prepare a landscape maintenance plan subject to review and approval by the Director of Community Development prior to issuance of building permit. [COA] [PLANNING]

BP-9. FENCE AGREEMENT:

An agreement detailing the final fence design between Lot 4 and 1131 Reinclaud Court, signed by the adjacent property owner, shall be provided. [SDR] [PLANNING]

BP-10. TREE PROTECTION PLAN:

Prior to issuance of a Demolition Permit, a Grading Permit or a Building Permit, whichever occurs first, obtain approval of a tree protection plan from the Director of Community Development. Two copies are required to be submitted for review. The tree protection plan shall include measures noted in Title 19 of the Sunnyvale Municipal Code and at a minimum:

- a) An inventory shall be taken of all existing trees on the plan including the valuation of all 'protected trees' by a certified arborist, using the latest version of the "Guide for Plant Appraisal" published by the International Society of Arboriculture (ISA).
- b) All existing (non-orchard) trees on the plans, showing size and varieties, and clearly specify which are to be retained.
- c) Provide fencing around the drip line of the trees that are to be saved and ensure that no construction debris or equipment is stored within the fenced area during the course of demolition and construction.
- d) The tree protection plan shall be installed prior to issuance of any Building or Grading Permits, subject to the on-site inspection and approval by the City Arborist and shall be maintained in place during the duration of construction and shall be added to any subsequent building permit plans. [COA] [PLANNING/CITY ARBORIST]

BP-11. STORMWATER MANAGEMENT CALCULATIONS:

Submit two copies of the City of Sunnyvale Impervious Surface Calculation worksheet prior to issuance of a Building Permit. [COA] [PLANNING]

BP-12. STORMWATER MANAGEMENT PLAN:

Submit two copies of a Stormwater Management Plan subject to review and approval by Director of Community Development and third party certification, pursuant to SMC 12.60, prior to issuance of building permit. [COA] [PLANNING/PUBLIC WORKS]

BP-13. STORM WATER MANAGEMENT PLAN THIRD PARTY CERTIFICATION:
Third party certification of the Storm Water Management Plan is required per the following guidance: City of Sunnyvale – Storm Water Quality BMP Applicant Guidance Manual for New and Redevelopment Projects - Addendum: Section 3.1.2 Certification of Design Criteria Third-Party Certification of Storm Water Management Plan Requirements. The third party certification shall be provided prior to building permit issuance. [SDR] [PLANNING/PUBLIC WORKS]

BP-14. BEST MANAGEMENT PRACTICES - STORMWATER:

The project shall comply with the following source control measures as outlined in the BMP Guidance Manual and SMC 12.60.220. Best management practices shall be identified on the building permit set of plans and shall be subject to review and approval by the Director of Public Works:

- a) Storm drain stenciling. The stencil is available from the City's Environmental Division Public Outreach Program, which may be reached by calling (408) 730-7738.
- b) Landscaping that minimizes irrigation and runoff, promotes surface infiltration where possible, minimizes the use of pesticides and fertilizers, and incorporates appropriate sustainable landscaping practices and programs such as Bay-Friendly Landscaping.
- c) Appropriate covers, drains, and storage precautions for outdoor material storage areas, loading docks, repair/maintenance bays, and fueling areas.
- d) Covered trash, food waste, and compactor enclosures.
- e) Plumbing of the following discharges to the sanitary sewer, subject to the local sanitary sewer agency's authority and standards:
 - i) Discharges from indoor floor mat/equipment/hood filter wash racks or covered outdoor wash racks for restaurants.
 - ii) Dumpster drips from covered trash and food compactor enclosures.
 - iii) Discharges from outdoor covered wash areas for vehicles, equipment, and accessories.
 - iv) Swimming pool water, spa/hot tub, water feature and fountain discharges if discharge to onsite vegetated areas is not a feasible option.
 - v) Fire sprinkler test water, if discharge to onsite vegetated areas is not a feasible option. [SDR] [PLANNING]

BP-15. GREEN BUILDING:

The plans submitted for building permits shall demonstrate compliance with the CALGreen Mandatory Measures and achieve a minimum of 80 points on the Green Point Rated checklist. Project plans shall be accompanied with a letter from the project's Green Point Rater verifying the project is designed to achieve the required points. [COA] [PLANNING/BUILDING]

EP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED AS PART OF AN ENCROACHMENT PERMIT APPLICATION.

EP-1. COMPLETE OFF-SITE IMPROVEMENT PLAN SET:

A complete plan check set applicable to the project, including street improvement plans, streetlight plans, streetscape plans, traffic signing and striping plans, traffic signal plans, traffic control plans, shall be submitted as part of the first off-site improvement plans, including engineering cost estimates. Joint trench plans may be submitted at a later date. No partial sets are allowed unless otherwise approved by the Director of Public Works. [COA][PUBLIC WORKS]

EP-2. BENCHMARKS

The off-site improvement plans shall be prepared by using City's latest benchmarks available on City's website <http://sunnyvale.ca.gov/Departments/PublicWorks/BenchMarks,RecordMapsandRecordDrawings.aspx> [COA][PUBLIC WORKS]

EP-3 UPGRADE OF EXISTING PUBLIC IMPROVEMENTS:

As part of the off-site improvement plan review and approval, any existing public improvements to be re-used by the project, which are not in accordance with current city standards and are not specifically identified in the herein project conditions (such as backflow preventer and sign post, etc.), shall be upgraded to current City standards and as required by the Director of Public Works [COA] [PUBLIC WORKS]

EP-4 UTILITY CONNECTION:

This project requires connection to all City utilities or private utilities operating under a City or State franchise which provide adequate levels of service. [COA] [PUBLIC WORKS] (SMC 18.08.030 and SMC 12.08.010)

EP-5 UTILITY CONNECTION TO THE MAIN:

All sanitary sewer laterals connecting to the existing main line shall be with a new sanitary sewer cleanout. All storm drain lateral connecting to the main shall be with a new storm drain manhole, except where a pipe to pipe connection is permitted if the mainline is 36" or larger, or a junction structure is permitted where the point of

connection is within close vicinity of an existing down-stream manhole. [SDR] [PUBLIC WORKS]

EP-6 EXISTING UTILITY ABANDONMENT:

Developer is responsible for research on all existing utility lines to ensure that there are no conflicts with the project. All existing utility lines (public or private) and/or their appurtenances not serving the project and/or have conflicts with the project, shall be capped, abandoned, removed, relocated and/or disposed to the satisfaction of the Director of Public Works. Existing public facilities within the street right-of-way shall be abandoned per City's Abandonment Notes, including abandonment by other utility owners. [COA] [PUBLIC WORKS]

EP-7. MODIFICATIONS TO EXISTING PUBLIC UTILITIES:

Developer is required to pay for all changes or modifications to existing city utilities, streets and other public utilities within or adjacent to the project site, including but not limited to utility facilities/conduits/vaults relocation due to grade change in the sidewalk area, caused by the development. [COA] [PUBLIC WORKS] (SMC 18.20.250)

EP-8. WET UTILITIES:

All wet utilities (water, sanitary sewer, storm drain) on-site shall be privately owned and maintained. [COA] [PUBLIC WORKS]

EP-9. RE-USE OF EXISTING CITY UTILITY SERVICE LINES:

The re-use of any existing sanitary sewer lateral and appurtenances is subject to City's review and approval. Developer's contractor shall expose the existing sanitary sewer facilities during construction for City's evaluation or provide video footage of the existing pipe condition. Developer's contractor shall replace any deficient facilities as deemed necessary by Public Works Department. Reuse of existing water laterals are not permitted. [COA] [PUBLIC WORKS]

EP-10. SEPARATE AND INDEPENDENT UTILITY SERVICE LINES:

Each building shall have separate and independent utility service lines tapped to the main. [COA] [PUBLIC WORKS]

EP-11. PUBLIC FIRE HYDRANTS:

Install fire hydrants (Clow-Rich 75) at Prunelle Court and Reinclud Court per current City standard detail 2b and 2B-2. Public fire hydrant shall be maintained free and clear of all trees, vines, shrubs, bushes, ivy, etc. for a minimum of three feet. [COA] [PUBLIC WORKS/PUBLIC SAFETY-FIRE PROTECTION]

- EP-12. WATER METER:
Install new radio-read water meter(s) for each point of connection to the water main. [SDR] [PUBLIC WORKS]
- EP-13. SEWER CLEANOUT:
Install new sewer cleanout at the street right-of-way lines for all existing and proposed sanitary sewer laterals to be used for the project. [SDR] [PUBLIC WORKS]
- EP-14. SANITARY SEWER VIDEO:
The contractor shall make a video copy of the interior of the new sanitary sewer lateral installed prior to it is put into service. [COA] [PUBLIC WORKS]
- EP-15. SANITARY SEWER AND STORM DRAIN TRIBUTARY PATTERN:
This project is required to follow the existing sanitary sewer and storm drain tributary pattern. Any deviations would require additional analysis and be subject to approval by the Director of Public Works as part of the off-site improvement plan review process. This project shall not cause any negative impact on the drainage pattern for adjacent properties. [COA] [PUBLIC WORKS]
- EP-16. UTILITY METER/VAULT:
No existing or new utility meters or vaults shall be located within the new driveway approach areas. All existing or new utility vaults serving the project site shall be located on-site and not within the public utility easement, if any. [COA] [PUBLIC WORKS]
- EP-17. DRY UTILITIES:
Submit dry utility plans and/or joint trench plans (PG&E, telephone, cable TV, fiber optic, etc.) to the Public Works Department for review and approval prior to issuance of any permits for utility work within public right-of-way or public utility easements. Separate encroachment permits shall be required for various dry utility construction. [SDR] [PUBLIC WORKS]
- EP-18. STREETLIGHTS:
Provide photometric analysis to confirm if the street lighting along the project frontage is in accordance with the City's Roadway Lighting Design Criteria. The photometric analysis shall include all the streetlights on the project frontage upgraded to LED and the existing streetlights on the opposite side of the project. The minimum average illuminance shall be approximately 0.4 fc and the uniformity ratio shall be approximately 6.0.
- Remove existing street light fixture and replace with new Cree BXSPA22 73 W, Type II or Leotek LED fixtures along both sides of the streets on Prunelle Court and Reinclud Court.

- Submit separate streetlight plans concurrently with the off-site improvement plan review to include installation of new conduits, existing and/or new locations of power source connection and new service pedestal, conductors, pull boxes, voltage drop and load calculations, and any other streetlight equipment as required to be installed by Developer per latest City standard details and specifications and National Electrical Code. Obtain PG&E's approval for new service pedestal, if required, prior to Encroachment Permit issuance by Public Works Department. [SDR] [PUBLIC WORKS]
- EP-19. DRIVEWAY APPROACHES:
Remove existing driveway approaches and install new driveway approaches per City Detail 5C-5 along the project frontage to comply with Americans with Disabilities Act (ADA) requirements and per city standard details and specifications. All unused existing driveway approaches shall be replaced with new curb, gutter and sidewalk. [COA] [PUBLIC WORKS]
- EP-20. STREETSCAPE IMPROVEMENTS:
Remove existing concrete curb, 2' gutter, and sidewalk. Install new concrete curb, 2' gutter, and sidewalk per City Standards and Specifications but match existing park-strip and sidewalk dimensions along the entire project frontage. [COA] [PUBLIC WORKS]
- EP-21. STREET PAVEMENT:
Install Type II slurry seal at the "bulb" of Prunelle Court and Reinclaud Court from lip of gutter to lip of gutter. [SDR] [PUBLIC WORKS]
- EP-22. DAMAGE TO EXISTING PUBLIC IMPROVEMENTS:
Developer shall be responsible to rectify any damage to the existing public improvements fronting and adjacent to the project site as a result of project construction to City's satisfaction by the Director of Public Works. [COA] [PUBLIC WORKS]
- EP-23. MAINTENANCE AGREEMENT:
Prior to encroachment permit issuance, developer shall execute separate Maintenance Agreements for Lots 1 and 2 and Lots 3 and 4 for perpetual maintenance of certain private improvements located within EVAE, PIEE, PSDE, PUE and parking stalls referenced herein. The subject Maintenance Agreement shall be recorded prior to first building occupancy for any lot.
- EP-24. RECORD DRAWINGS:
Record drawings (including street, sewer, water, storm drain and off-site landscaping plans) shall be submitted to the City prior to encroachment permit sign-off. [COA] [PUBLIC WORKS]

PM: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO THE APPROVAL OF THE FINAL MAP OR PARCEL MAP.

- PM-1. FINAL MAP COMPLIANCE WITH VESTING TENTATIVE MAP:
The parcel map shall be substantially the same as the vesting tentative map. Any alteration of the vesting tentative map after the vesting tentative map is approved is subject to additional approval by the City and may require a public hearing. [COA][PLANNING/PUBLIC WORKS]
- PM-2. TITLE 18 AND SUBDIVISION MAP ACT:
The submittal, approval and recordation of the parcel map shall be in accordance with the provisions of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 subdivision requirements. [COA] [PUBLIC WORKS]
- PM-3. RESERVATION/ABANDONMENT OF EASEMENTS:
Reservation of new and/or abandonment of existing public/private utility easement(s), ingress/egress easement(s) necessary for the project site shall be delineated on the map or recorded concurrently with the map with a separate instrument, unless otherwise approved by the Director of Public Works. Quitclaim deed is required for abandonment of private easements prior to map recordation. All easements shall be kept open and free from buildings and structures of any kind except those appurtenances associated with the defined easements. [COA] [PUBLIC WORKS]
- PM-4. UTILITY COMPANY APPROVAL:
Obtain approval letters from various utility companies for the parcel map in regards to any existing or new easements associated with the project. [COA] [PUBLIC WORKS]
- PM-5. EMERGENCY VEHICLE ACCESS EASEMENT:
Developer shall dedicate a minimum 20'-wide emergency vehicle ingress-egress. [COA][PUBLIC SAFETY/PUBLIC WORKS]
- PM-6. PUBLIC WORKS DEVELOPMENT FEES:
Developer shall pay all applicable Public Works development fees associated with the project, including but not limited to, utility frontage and/or connection fees, off-site improvement plan check and inspection fees, prior to map recordation or any permit issuance, whichever occurs first. The exact fee amount shall be determined based upon the fee rate at the time of fee payment. [COA] [PUBLIC WORKS]
- PM-7. SUBDIVISION AGREEMENT AND IMPROVEMENT SECURITIES:

Developer shall execute a Subdivision Agreement and provide improvement securities and/or cash deposit(s) for all proposed public improvements prior to final map recordation or any permit issuance, whichever occurs first. [COA] [PUBLIC WORKS]

- PM-8. OFF-SITE IMPROVEMENT COST ESTIMATE:
Provide an itemized engineer's estimate for all off-site public improvements. [COA] [PUBLIC WORKS]

PF: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS AND/OR SHALL BE MET PRIOR TO RELEASE OF UTILITIES OR ISSUANCE OF A CERTIFICATE OF OCCUPANCY.

- PF-1. LANDSCAPING AND IRRIGATION:
All landscaping and irrigation as contained in the approved building permit plan shall be installed prior to occupancy. [COA] [PLANNING]

- PF-2. COMPLETION OF PUBLIC IMPROVEMENTS:
Developer shall complete all required public improvements in accordance with City approved plans, prior to any building occupancy. [COA] [PUBLIC WORKS]

DC: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES DURING THE CONSTRUCTION PHASE OF THE PROJECT.

- DC-1. BLUEPRINT FOR A CLEAN BAY:
The project shall be in compliance with stormwater best management practices for general construction activity until the project is completed and either final occupancy has been granted. [SDR] [PLANNING]

- DC-2. TREE PROTECTION:
All tree protection shall be maintained, as indicated in the tree protection plan, until construction has been completed and the installation of landscaping has begun. [COA] [PLANNING]

- DC-3. CLIMATE ACTION PLAN – OFF ROAD EQUIPMENT REQUIREMENT:
OR 2.1: Idling times will be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]), or less. Clear signage will be provided at all access points to remind construction workers of idling restrictions.

OR 2.2: Construction equipment must be maintained per manufacturer's specifications.

OR 2.3: Planning and Building staff will work with project applicants to limit GHG emissions from construction equipment by selecting one of the following measures, at a minimum, as appropriate to the construction project:

- a) Substitute electrified or hybrid equipment for diesel- and gasoline-powered equipment where practical.
- b) Use alternatively fueled construction equipment on-site, where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane, or biodiesel.
- c) Avoid the use of on-site generators by connecting to grid electricity or utilizing solar-powered equipment.
- d) Limit heavy-duty equipment idling time to a period of 3 minutes or less, exceeding CARB regulation minimum requirements of 5 minutes. [COA] [PLANNING]

DC-4. DUST CONTROL:

At all times, the Bay Area Air Quality Management District's CEQA Guidelines and "Basic Construction Mitigation Measures Recommended for All Proposed Projects", shall be implemented. [COA] [PLANNING]

AT: THE FOLLOWING CONDITIONS OF APPROVAL AND STANDARD DEVELOPMENT REQUIREMENTS SHALL BE COMPLIED WITH AT ALL TIMES THAT THE USE PERMITTED BY THIS PLANNING APPLICATION OCCUPIES THE PREMISES.

AT-1. LANDSCAPE MAINTENANCE:

All landscaping shall be installed in accordance with the approved landscape plan and shall thereafter be maintained in a neat, clean, and healthful condition. Trees shall be allowed to grow to the full genetic height and habit (trees shall not be topped). Trees shall be maintained using standard arboriculture practices. [COA] [PLANNING]

AT-2. BMP MAINTENANCE:

The project owners must properly maintain any structural or treatment control best management practices to be implemented in the project, as described in the approved Stormwater Management Plan and indicated on the approved building permit plans. [SDR] [PLANNING]

AT-3. BMP RIGHT OF ENTRY:

The project owners shall provide access to the extent allowable by law for representatives of city, the local vector control district, and the Regional Water Quality Control Board, strictly for the purposes of verification of proper operation and maintenance for the storm water treatment best management practices contained in the approved Storm Water Management Plan.[SDR] [PLANNING]

AT-4. GARAGE PARKING:

Garage spaces shall be maintained at all times so as to allow for parking of one/two vehicles depending on size of garage. [COA] [PLANNING]

AT-5. RECREATIONAL VEHICLE STORAGE PROHIBITED:

Unenclosed storage of any vehicle intended for recreation purposes, including land conveyances, vessels and aircraft, but excluding attached camper bodies and motor homes not exceeding 18 feet in length, shall be prohibited on the premises. [COA] [PLANNING]