

TABLE COMPARING EXISTING TO NEW CHAPTER 12.60

Existing Chapter 12.60	New Chapter 12.60	Comment
12.60.010. Purpose and intent	12.60.010. Purpose and intent	Updated to reflect current permit information
12.60.020. Scope and limits of chapter	12.60.020. Scope and limits of chapter	No changes
12.60.030. Administration	12.60.030. Administration	Minor revision
12.60.040. Definitions	12.60.040. Definitions	Substantially reorganized
–	(d) “Base course”	Added
(m) “Diligently pursuing”	–	Deleted
(t) “Hydromodification management (HM)”	(s) “Hydromodification management (HM)”	Minor revision
(cc) “Micro-detention”	–	Deleted
(hh) “NPDES stormwater permit”	(n)(3) “NPDES stormwater permit”	Updated references/dates
(ii) “Permeable surfaces”	(p)(1) “Permeable surfaces”	Minor revision
(kk) “Regulated projects”	(r)(3) “Regulated projects”	Redefined impervious surface thresholds: 5,000 s.f. for redevelopment and road projects; 10,000 s.f. for detached single-family home projects; including reconstruction of right-of-way or street frontage that are constructed or reconstructed as part of the development.
–	(s)(1) “Self-retaining” (s)(2) “Self-treating” (s)(3) “Special project”	Added definitions
(mm) “Special land use categories”	–	Deleted
(nn) “Storm drain system”	(s)(4) “Storm drain system”	Deleted BMP definitions
12.60.050. Ultimate responsibility of discharger.	2.60.050. Ultimate responsibility of discharger.	No changes
12.60.060. Fees	12.60.060. Fees	No changes
12.60.070. Discharge prohibitions	12.60.070. Discharge prohibitions	Revisions to conditionally exempted discharges: Delete discharges of potable water and water line and hydrant flushing, including firefighting water and foam
12.60.075. Wastewater discharges containing copper or copper-based chemicals	12.60.080. Wastewater discharges containing copper or copper-based chemicals	No changes
12.60.080. Prohibition of illegal connection.	12.60.090. Prohibition of illegal connection.	No changes

Existing Chapter 12.60	New Chapter 12.60	Comment
12.60.090. False statements.	12.60.100. False statements.	No changes
12.60.100. Compliance with NPDES stormwater permit.	12.60.110. Compliance with NPDES stormwater permit.	No changes
12.60.110. Stormwater pollution reduction.	12.60.120. Stormwater pollution reduction.	No changes
12.60.120. Stormwater treatment requirements— Applicability.	12.60.130. Stormwater treatment requirements— Applicability.	Adds large single family homes as defined in 12.60.140; delete special land use categories
12.60.121. Development and redevelopment projects— Regulated projects.	12.60.140. Development and redevelopment projects— Regulated projects.	Reduces threshold for most project types to 5,000 or more s.f. impervious area; adds sidewalks and right-of-way; adds detached single family homes that create 10,000 or more s.f. impervious surface; adds pavement maintenance if impervious area is increased; adds specific exclusions.
12.60.122. Special land use categories— Regulated projects.	—	Deleted
12.60.123. Road Projects— Regulated projects.	12.60.150. New or widening road projects— Regulated projects.	Adds addition of traffic lanes that alters more than 50% of the existing street or road; amends exclusion for impervious trails; deletes obsolete exclusions.
—	12.60.160. Road construction— Regulated projects.	New section.
—	12.60.170. Special Projects— Regulated Project which may qualify for use of non-LID treatment measures	New section.
12.60.124. Required site design measures for small projects and single-family homes.	12.60.180. Required site design measures for small projects and smaller single-family home.	Amends definitions of “smaller” projects: create/replace at least 2,500 s.f. impervious surface, but less than 10,000 s.f. for a detached s.f. home or less than 5,000 s.f. for other projects.
12.60.125. Site design measures for nonregulated project.	12.60.190. Site design measures for nonregulated project.	No changes
12.60.130. Trash load reductions to storm drain collection system.	12.60.200. Trash load reductions to storm drain collection system.	No changes
12.60.140. Stormwater management plan required.	12.60.210. Stormwater management plan required.	Minor revision

Existing Chapter 12.60	New Chapter 12.60	Comment
12.60.150. Numeric sizing criteria for treatment systems.	12.60.220. Numeric sizing criteria for treatment systems.	No changes
12.60.155. Low impact development (LID) requirements.	12.60.230. Low impact development (LID) requirements.	Amends regulations stormwater harvesting and re-use, infiltration, evapotranspiration, or biotreatment; deletes obsolete exclusions.
12.60.160. Hydromodification management (HM) requirements—Applicability.	12.60.240. Hydromodification management (HM) requirements—Applicability.	No changes
12.60.170. Design standards concerning flooding.	12.60.250. Design standards concerning flooding.	No changes
12.60.180. Alternative certification of adherence to numeric sizing criteria for stormwater treatment systems.	12.60.260. Alternative certification of adherence to numeric sizing criteria for stormwater treatment systems.	Minor revision
12.60.190. Infiltration treatment measures.	12.60.270. Infiltration treatment measures.	Minor revision
12.60.200. Agreement to maintain best management practices.	12.60.280. Agreement to maintain best management practices.	No changes
12.60.210. Submission of revised stormwater management plan.	12.60.290. Submission of revised stormwater management plan.	Minor revision
12.60.220. Best management practices and CASQA Stormwater Best Management Practice Handbook incorporated.	12.60.300. Best management practices and CASQA Stormwater Best Management Practice Handbook incorporated.	No changes
12.60.230. Minimum best management practices and source control measures for all dischargers.	12.60.310. Minimum best management practices and source control measures for all dischargers.	Adds reference to Stormwater BMP Guidance Manual.
12.60.240. Authority to inspect.	12.60.320. Authority to inspect.	Minor revision
12.60.250. Requirement to remediate.	12.60.330. Requirement to remediate.	No changes
12.60.260. Failure to properly operate and maintain stormwater treatment and hydromodification management facilities.	12.60.340. Failure to properly operate and maintain stormwater treatment and hydromodification management facilities.	No changes
12.60.300. Alternative compliance.	12.60.350. Alternative compliance.	No changes
12.60.305. Public nuisance.	12.60.360. Public nuisance.	No changes
12.60.310. Manner of notification of a violation.	12.60.370. Manner of notification of a violation.	No changes

Existing Chapter 12.60	New Chapter 12.60	Comment
12.60.315. Administrative process and civil penalties.	12.60.380. Administrative process and civil penalties.	No changes
12.60.320. Administrative hearing and appeals process.	12.60.390. Administrative hearing and appeals process.	No changes
12.60.330. Emergency corrections.	12.60.400. Emergency corrections.	No changes
12.60.350. Judicial civil penalties.	12.60.410. Judicial civil penalties.	No changes
12.60.360. Remedies cumulative.	12.60.420. Remedies cumulative.	No changes