


LINE TABLE		CURVE TABLE			
LINE	POINTS	PC	PT	PI	LC
L1	473.88	473.88	473.88	473.88	227.47
L2	108.84	108.84	108.84	108.84	284.37
L3	387.81	387.81	387.81	387.81	284.37
L4	184.11	184.11	184.11	184.11	448.37



LEGEND:
 --- COLUMN/ALIGNMENT
 --- PROPOSED BIKE LANE
 --- PROPOSED RIGHT-OF-WAY

NOTES:
 LOCATION AND STATIONING OF PILES, DEPTH OF STRUCTURE AND OTHER INFORMATION ARE SHOWN FROM A PREVIOUSLY COMPLETED PAVEMENT PROJECT FOR THIS PROJECT.


DESIGN CRITERIA:
 DESIGN SPEED = 40 MPH
 BICYCLE DESIGN PER 88-01, 88-02, 88-03, 88-04, 88-05, 88-06, 88-07, 88-08, 88-09, 88-10, 88-11, 88-12, 88-13, 88-14, 88-15, 88-16, 88-17, 88-18, 88-19, 88-20, 88-21, 88-22, 88-23, 88-24, 88-25, 88-26, 88-27, 88-28, 88-29, 88-30, 88-31, 88-32, 88-33, 88-34, 88-35, 88-36, 88-37, 88-38, 88-39, 88-40, 88-41, 88-42, 88-43, 88-44, 88-45, 88-46, 88-47, 88-48, 88-49, 88-50, 88-51, 88-52, 88-53, 88-54, 88-55, 88-56, 88-57, 88-58, 88-59, 88-60, 88-61, 88-62, 88-63, 88-64, 88-65, 88-66, 88-67, 88-68, 88-69, 88-70, 88-71, 88-72, 88-73, 88-74, 88-75, 88-76, 88-77, 88-78, 88-79, 88-80, 88-81, 88-82, 88-83, 88-84, 88-85, 88-86, 88-87, 88-88, 88-89, 88-90, 88-91, 88-92, 88-93, 88-94, 88-95, 88-96, 88-97, 88-98, 88-99, 88-100

NORTH MARY AVENUE OPTION 1
 4 LANE ROADWAY WITH CYCLE TRACKS AND SIDEWALKS

Kimley-Horn
 947 CHURCH STREET, SUITE 300, PALM SPRING, CA 92264
 PHONE: 951-261-8800 FAX: 951-261-8849
 WWW.KIMLEY-HORN.COM

Sunnyvale

GRAPHIC SCALE
 1" = 100'



LINE TABLE		CURVE TABLE			
LINE	STATIONING	PC	PT	PI	LC
L1	0+00.00	0+00.00	0+00.00	0+00.00	0+00.00
L2	0+00.00	0+00.00	0+00.00	0+00.00	0+00.00
L3	0+00.00	0+00.00	0+00.00	0+00.00	0+00.00
L4	0+00.00	0+00.00	0+00.00	0+00.00	0+00.00

LEGEND
 [Symbol] EXISTING BUILDING
 [Symbol] EXISTING ROAD
 [Symbol] EXISTING BIKE LANE
 [Symbol] EXISTING SIDEWALK
 [Symbol] EXISTING BIKEWAY

NOTES
 1. LOCATION AND GRADES OF PAVES, DITCHES, STRUCTURES AND OTHER INFORMATION ARE SHOWN HEREIN AS PREVIOUSLY COMPLETED FOR THIS PROJECT.


DESIGN CRITERIA
 DESIGN SPEED = 40 MPH
 BIKE WAY DESIGN FOR 80-100, NEW SECTION 1000, AND NACTO DESIGN STANDARDS.

NORTH MARY AVENUE OPTION 2
 2 LANE ROADWAY WITH CYCLE TRACKS AND SIDEWALKS

Kimley-Horn
 4875 QUARTZ DRIVE, SUITE 300, PLASANTON, CA 94468
 PHONE: 925-266-8800 FAX: 925-266-8844
 WWW.KH-CORP.COM

Sunnyvale

GRAPHIC SCALE
 1" = 40' HORIZONTAL
 1" = 10' VERTICAL



LINE TABLE		CURVE TABLE			
LINE	BEARING	PC	PIC	PT	LENGTH
L1	100.00° 00' 00" W	100+00.00	100+00.00	100+00.00	0.00
L2	100.00° 00' 00" W	100+00.00	100+00.00	100+00.00	0.00
L3	100.00° 00' 00" W	100+00.00	100+00.00	100+00.00	0.00
L4	100.00° 00' 00" W	100+00.00	100+00.00	100+00.00	0.00

LEGEND
 COLUMN/ALIGNMENT
 RETAINING WALL
 PROPOSED RIGHT-OF-WAY
 PROPOSED BIKE LANE

NOTES
 LOCATION AND BEARING OF PIVOT POINT OF STRUCTURE AND OTHER INFORMATION ARE SHOWN FROM A PREVIOUSLY COMPLETED PLAN DOCUMENT FOR THIS PROJECT.


DESIGN CRITERIA
 DESIGN SPEED = 40 MPH
 BIKE WAY DESIGN PER DR 82-01, NEW SECTION 1001, AND NACTO DESIGN STANDARDS

NORTH MARY AVENUE OPTION 3
 RESTRICTED ACCESS ROADWAY (BUS ONLY) WITH CYCLE TRACKS AND SIDEWALKS

Kimley-Horn
 401 CHURCH AVENUE, SUITE 300, PALM SPRING, CA 92262
 PHONE 951-261-0800 FAX 951-261-0809
 WWW.KIMLEY-HORN.COM

Sunnyvale

GRAPHIC SCALE
 1" = 100' - 0"



LINE TABLE		CURVE TABLE			
LINE	LENGTH	PC	PT	PI	LC
L1	100.00	63+43.00	69+21.81	71+43.00	100.00
L2	100.00	69+21.81	71+43.00	71+43.00	100.00

LEGEND:
 - - - - - EXISTING ROAD
 - - - - - PROPOSED BIKE LINE
 - - - - - PROPOSED BIKE LANE

NOTES:
 1. LOCATION AND GRADES OF PAVES, DITCHES, STRUCTURES AND OTHER INFORMATION ARE SHOWN FROM A PREVIOUSLY COMPLETED PLAN DOCUMENT FOR THIS PROJECT.

DESIGN CRITERIA:
 DESIGN SPEED = 40 MPH
 BIKE WAY DESIGN PER DM 83-06, NEW SECTION 1005, AND NACTO DESIGN STANDARDS.

NORTH MARY AVENUE OPTION 4
 PEDESTRIAN AND BICYCLE OVERCROSSING

Kimley-Horn
 4671 QUART DRIVE, SUITE 300, FLAGSTAFF, AZ 86004
 PHONE: 928-779-8844 FAX: 928-779-8844
 WWW.KIMLEY-HORN.COM

DATE	10/15/2014
PROJECT	...
...	...

Sunnyvale

GRAPHIC SCALE
 1" = 100'