

**FINAL  
CONDITIONS OF APPROVAL AND  
STANDARD DEVELOPMENT REQUIREMENTS  
AS APPROVED BY ZONING ADMINISTRATOR HEARING ON  
OCTOBER 15, 2025**

Planning Application **PLNG-2025-0437**  
295 West Evelyn Avenue

USE PERMIT for the installation of two 15-foot tall wireless telecommunication facilities (light poles) for Verizon Wireless on the top floor of the parking structure at the Sunnyvale Caltrain Station.

The following Conditions of Approval [COA] and Standard Development Requirements [SDR] apply to the project referenced above. The COAs are specific conditions applicable to the proposed project. The SDRs are items which are codified or adopted by resolution and have been included for ease of reference, they may not be appealed or changed. The COAs and SDRs are grouped under specific headings that relate to the timing of required compliance. Additional language within a condition may further define the timing of required compliance. Applicable mitigation measures are noted with “Mitigation Measure” and placed in the applicable phase of the project.

In addition to complying with all applicable City, County, State and Federal Statutes, Codes, Ordinances, Resolutions and Regulations, Permittee expressly accepts and agrees to comply with the following Conditions of Approval and Standard Development Requirements of this Permit:

**GC: THE FOLLOWING GENERAL CONDITIONS AND STANDARD DEVELOPMENT REQUIREMENTS SHALL APPLY TO THE APPROVED PROJECT.**

**GC-1. CONFORMANCE WITH APPROVED PLANNING APPLICATION:**

All building permit drawings and subsequent construction and operation shall substantially conform with the approved planning application, including: drawings/plans, materials samples, building colors, and other items submitted as part of the approved application. Any proposed amendments to the approved plans or Conditions of Approval are subject to review and approval by the City. The Director of Community Development shall determine whether revisions are considered major or minor. Minor changes are subject to review and approval by the Director of Community Development. Major changes are subject to review at a public hearing. [COA] [PLANNING]

**GC-2. ENTITLEMENTS—EXERCISE AND EXPIRATION:**

The approved entitlements shall be null and void two years from the date of approval by the final review authority if the approval is not exercised,

---

unless a written request for an extension is received prior to the expiration date and is approved by the Director of Community Development. [SDR] (PLANNING)

GC-3. ENTITLEMENTS—DISCONTINUANCE AND EXPIRATION:

The entitlements shall expire if discontinued for a period of one year or more. [SDR] (PLANNING)

GC-4. INDEMNITY:

The applicant/developer shall defend, indemnify, and hold harmless the City, or any of its boards, commissions, agents, officers, and employees (collectively, "City") from any claim, action, or proceeding against the City to attack, set aside, void, or annul, the approval of the project when such claim, action, or proceeding is brought within the time period provided for in applicable state and/or local statutes. The City shall promptly notify the developer of any such claim, action or proceeding. The City shall have the option of coordinating the defense. Nothing contained in this condition shall prohibit the City from participating in a defense of any claim, action, or proceeding if the City bears its own attorney's fees and costs, and the City defends the action in good faith. [COA] [OFFICE OF THE CITY ATTORNEY]

GC-5. NOTICE OF FEES PROTEST:

As required by California Government Code Section 66020, the project applicant is hereby notified that the 90-day period has begun as of the date of the approval of this application, in which the applicant may protest any fees, dedications, reservations, or other exactions imposed by the city as part of the approval or as a condition of approval of this development. The fees, dedications, reservations, or other exactions are described in the approved plans, conditions of approval, and/or adopted city impact fee schedule. [SDR] [PLANNING / OCA]

GC-6. COMPLY WITH APPLICABLE REGULATIONS:

The facility must comply with any and all applicable regulations and standards promulgated or imposed by any state or federal agency, including but not limited to the Federal Communications Commission and Federal Aviation Agency. [SDR] [PLANNING]

GC-7. TESTING WITHIN 15 DAYS:

The applicant shall test any wireless telecommunications site installed in the City of Sunnyvale within 15 days of operating the tower. The test shall confirm that any Emergency 911 wireless call made through the wireless telecommunications site shall provide Enhanced 911 capability (including phase 2 information when available from the caller's device) and direct the call to the City of Sunnyvale Department of Public Safety

---

dispatcher, ensuring phase 2 information is transferred. If the call is to be directed elsewhere pursuant to State and Federal law the applicant shall ensure that the Enhanced 911 information transfers to that dispatch center. This capability shall be routinely tested to ensure compliance as long as the approved wireless telecommunications site is in service. [SDR] [PLANNING]

GC-8. NO THREAT TO PUBLIC HEALTH:

The facility shall not be sited or operated in such a manner that is poses, either by itself or in combination with other such facilities, a potential threat to public health. To that end, the subject facility and the combination of on-site facilities shall not produce at any time power densities in any inhabited area that exceed the FCC's Maximum Permissible Exposure (MPE) limits for electric and magnetic field strength and power density for transmitters or any more restrictive standard subsequently adopted or promulgated by the federal government. [SDR] [PLANNING]

GC-9. ENCROACHMENT PERMIT:

Prior to any work in the public right-of-way, obtain an encroachment permit with insurance requirements for all public improvements including a traffic control plan per the latest California Manual on Uniform Traffic Control Devices (MUTCD) standards to be reviewed and approved by the Department of Public Works. [COA] [PUBLIC WORKS]

**PS: THE FOLLOWING CONDITION(S) SHALL BE MET PRIOR TO SUBMITTAL OF BUILDING PERMIT, AND/OR GRADING PERMIT.**

PS-1. REQUIRED REVISIONS TO PROJECT PLANS:

The plans shall be revised to reflect the final internal routing of the power and fiber cable from the telecom equipment on the ground floor to the transformer on the west side of the parking structure (Option 1 or Option 2), as approved by PG&E. [COA] [PLANNING]

**BP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS SUBMITTED FOR ANY DEMOLITION PERMIT, BUILDING PERMIT, AND/OR GRADING PERMIT, AND SHALL BE MET PRIOR TO THE ISSUANCE OF SAID PERMIT(S).**

BP-1. CONDITIONS OF APPROVAL:

Final plans shall include all Conditions of Approval included as part of the approved application starting on sheet 2 of the plans. [COA] [PLANNING]

**BP-2. RESPONSE TO CONDITIONS OF APPROVAL:**

A written response indicating how each condition has or will be addressed shall accompany the building permit set of plans. [COA] [PLANNING]

**BP-3. NOTICE OF CONDITIONS OF APPROVAL:**

A Notice of Conditions of Approval shall be filed in the official records of the County of Santa Clara and provide proof of such recordation to the City prior to issuance of any City permit, allowed use of the property, or Final Map, as applicable. The Notice of Conditions of Approval shall be prepared by the Planning Division and shall include a description of the subject property, the Planning Application number, attached conditions of approval and any accompanying subdivision or parcel map, including book and page and recorded document number, if any, and be signed and notarized by each property owner of record.

For purposes of determining the record owner of the property, the applicant shall provide the City with evidence in the form of a report from a title insurance company indicating that the record owner(s) are the person(s) who have signed the Notice of Conditions of Approval. [COA] [PLANNING]

**BP-4. CONSTRUCTION MATERIAL AND STAGING:**

All construction related materials, equipment, and construction workers parking need to be managed on-site and not located in any public right-of-ways or public easements. [COA] [PUBLIC WORKS]

**BP-5. ANTENNAS, POLES AND EXTERIOR CONDUITS: (MODIFIED BY THE ZONING ADMINISTRATOR)**

- a. The new antennas and poles shall be painted matte grey color or to match colors of existing rooftop light poles, whichever color blends better with the sky as determined by the Director of Community Development.
- b. Exterior conduits (if any) shall be painted to match the wall or column color on which they are located. [COA] [PLANNING]

**BP-6. RADIO FREQUENCY (RF) SAFETY PLAN: (MODIFIED BY THE ZONING ADMINISTRATOR)**

As recommended in the project RF Study, a Radio Frequency Safety Plan must be implemented for personnel who may require access to the light poles on the main rooftop. Service sectors potentially impacting these areas must be deactivated before any maintenance is performed on the poles. [COA] [PLANNING]

**EP: THE FOLLOWING CONDITION SHALL BE ADDRESSED AS PART OF AN ENCROACHMENT PERMIT APPLICATION.**

EP-1. TRAFFIC CONTROL PLAN:

If traffic control in the public right-of-way is required for the proposed work, submit a traffic control plan as an encroachment permit for review and approval. Per the City's Temporary Traffic Control Checklist, the traffic control plan shall include a summary of the traffic control types, dates, times and blocks affected. All construction related materials, equipment, and construction workers parking need to be stored on-site and the public streets need to be kept free and clear of construction debris. [COA] [PUBLIC WORKS]

EP-2. PROTECTION OF EXISTING TREES:

No utility trench shall be allowed within 15' radius of an existing mature tree. Boring, air spade or other excavation method as approved by the City Arborist shall be considered to protect existing mature tree. Consult with the City Arborist prior to adjusting locations of utility lines. [SDR] [PUBLIC WORKS]

EP-3. DAMAGE TO EXISTING PUBLIC IMPROVEMENTS:

Developer shall be responsible to rectify any damage to the existing public improvements fronting and adjacent to the project site as a result of project construction, to City's satisfaction by the Public Works Department. All existing streetlight conduits, streetlight wires, streetlight pull boxes, traffic detector loops, and traffic signal conduits shall be protected in place during construction. Any damaged streetlight conduits, streetlight wires, streetlight pull boxes, traffic detector loops, and traffic signal conduits shall be replaced within 7 days at the expense of the developer. [COA] [PUBLIC WORKS]

**PF: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS AND/OR SHALL BE MET PRIOR TO RELEASE OF UTILITIES OR ISSUANCE OF A CERTIFICATE OF OCCUPANCY.**

PF-1. RF EMISSIONS STUDIES:

The applicant shall submit to the Director of Community Development Radio Frequency Emissions at least two reports of field measurements showing: 1.) The ambient level of RF emissions before construction of the facility and 2.) The actual level of emissions after the facility is in place and operating at or near full capacity. [COA] [PLANING]

---

PF-2. RF ALERT SIGNAGE:

All required RF alert signage at the site access location be installed prior to building permit final. [COA] [PLANNING]

**DC: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES DURING THE CONSTRUCTION PHASE OF THE PROJECT.**

DC-1. BLUEPRINT FOR A CLEAN BAY:

The project shall be in compliance with stormwater best management practices for general construction activity until the project is completed and either final occupancy has been granted. [SDR] [PLANNING]

DC-2. CLIMATE ACTION PLAN – OFF ROAD EQUIPMENT REQUIREMENT:

2.1: Idling times will be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]), or less. Clear signage will be provided at all access points to remind construction workers of idling restrictions.

2.2: Construction equipment must be maintained per manufacturer's specifications.

2.3: Planning and Building staff will work with project applicants to limit GHG emissions from construction equipment by selecting one of the following measures, at a minimum, as appropriate to the construction project:

- a) Substitute electrified or hybrid equipment for diesel- and gasoline-powered equipment where practical.
- b) Use alternatively fueled construction equipment on-site, where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane, or biodiesel.
- c) Avoid the use of on-site generators by connecting to grid electricity or utilizing solar-powered equipment.
- d) Limit heavy-duty equipment idling time to a period of 3 minutes or less, exceeding CARB regulation minimum requirements of 5 minutes. [COA] [PLANNING]

DC-3. DUST CONTROL:

At all times, the Bay Area Air Quality Management District's CEQA Guidelines and "Basic Construction Mitigation Measures Recommended for All Proposed Projects", shall be implemented. [COA] [PLANNING]

**AT: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES THAT THE USE PERMITTED BY THIS PLANNING APPLICATION OCCUPIES THE PREMISES.**

AT-1. 10 YEAR RENEWAL:

Every owner or operator of a wireless telecommunication facility shall renew the facility permit at least every ten (10) years from the date of initial approval. If a permit or other entitlement for use is not renewed, it shall automatically become null and void without notice or hearing ten (10) years after it is issued, or upon cessation of use for more than a year and a day, whichever comes first. Unless a new use permit or entitlement of use is issued, within one hundred twenty (120) days after a permit becomes null and void all improvements, including foundations and appurtenant ground wires, shall be removed from the property and the site restored to its original pre-installation condition within one hundred eighty (180) days of nonrenewal or abandonment. [SDR] [PLANNING]

AT-2. PARKING MANAGEMENT:

The contractors and technicians related to installation and maintenance of the facility shall:

- a. Pay for and utilize vacant parking space(s) in the parking garage.
- b. Not block the path of travel of pedestrians and vehicles within the parking garage.
- c. Not park adjacent to the equipment cabinet in front of the existing bollards. This area shall be left free of vehicles for pedestrian ingress and egress. [COA] [PLANNING]

AT-3. MINIMIZE NOISE:

The facility shall be operated in such a manner so as to minimize any possible disruption caused by noise. Backup generators shall only be operated during periods of power outages, and shall not be tested on weekends or holidays, or between the hours of 10:00 p.m. and 7:00 a.m. on weekday nights. At no time shall equipment noise from any source exceed an exterior noise level of 60 dB at the property line. [SDR] [PLANNING]

AT-4. RF EMISSIONS:

Prior to final building permit, certification must be provided that the proposed facility will at all times comply with all applicable health requirements and standards pertaining to RF emissions. [SDR] [PLANNING]

---

AT-5. MAINTAIN CURRENT INFORMATION:

The owner or operator shall maintain, at all times, a sign mounted on the outside fence showing the operator name, site number and emergency contact telephone number. The owner or operator of the facility shall also submit and maintain current at all times basic contact and site information on a form to be supplied by the city. The applicant shall notify city of any changes to the information submitted within thirty (30) days of any change, including change of the name or legal status of the owner or operator. This information shall include, but is not limited to the following:

- a) Identity, including name, address and telephone number, and legal status of the owner of the facility including official identification numbers and FCC certification, and if different from the owner, the identity and legal status of the person or entity responsible for operating the facility.
- b) Name, address and telephone number of a local contact person for emergencies.
- c) Type of service provided. [SDR] [PLANNING]

AT-6. GOOD REPAIR:

All facilities and related equipment, including lighting, fences, shields, cabinets, and poles, shall be maintained in good repair, free from trash, debris, litter and graffiti and other forms of vandalism, and any damage from any cause shall be repaired as soon as reasonably possible so as to minimize occurrences of dangerous conditions or visual blight. Graffiti shall be removed from any facility or equipment as soon as practicable, and in no instance more than forty-eight (48) hours from the time of notification by the city. [SDR] [PLANNING]

AT-7. RESPONSIBILITY TO MAINTAIN:

The owner or operator of the facility shall routinely and regularly inspect each site to ensure compliance with the standards set forth in the Telecommunications Ordinance. [SDR] [PLANNING]

AT-8. NO INTERFERENCE WITH CITY COMMUNICATION SYSTEMS:

The facility operator shall be strictly liable for interference caused by the facility with city communication systems. The operator shall be responsible for all labor and equipment costs for determining the source of the interference, all costs associated with eliminating the interference, (including but not limited to filtering, installing cavities, installing directional antennas, powering down systems, and engineering analysis), and all costs arising from third party claims against the city attributable to the interference. [SDR] [PLANNING]

---

AT-9. LICENSE AGREEMENT

The owner of the facility shall, at all times, have a valid license agreement with The City of Sunnyvale to operate the facility. [COA] [PLANNING / PUBLIC WORKS]

**END OF CONDITIONS**