

**RECOMMENDED  
CONDITIONS OF APPROVAL AND  
STANDARD DEVELOPMENT REQUIREMENTS  
April 13, 2015**

Planning Application 2015-7086  
394 South Pastoria Avenue

Design Review to allow the demolition of an existing single-story, single-family residence and the construction of a new two-story, single-family residence with a floor area of 2,727 square feet (2,325 square feet living area and 402 square feet garage) for a total floor area ratio of 49.8%.

The following Conditions of Approval [COA] and Standard Development Requirements [SDR] apply to the project referenced above. The COAs are specific conditions applicable to the proposed project. The SDRs are items which are codified or adopted by resolution and have been included for ease of reference, they may not be appealed or changed. The COAs and SDRs are grouped under specific headings that relate to the timing of required compliance. Additional language within a condition may further define the timing of required compliance. Applicable mitigation measures are noted with "Mitigation Measure" and placed in the applicable phase of the project.

In addition to complying with all applicable City, County, State and Federal Statutes, Codes, Ordinances, Resolutions and Regulations, Permittee expressly accepts and agrees to comply with the following Conditions of Approval and Standard Development Requirements of this Permit:

<b>GC: THE FOLLOWING GENERAL CONDITIONS AND STANDARD DEVELOPMENT REQUIREMENTS SHALL APPLY TO THE APPROVED PROJECT.</b>
--

**GC-1. CONFORMANCE WITH APPROVED PLANNING APPLICATION:**

All building permit drawings and subsequent construction and operation shall substantially conform with the approved planning application, including: drawings/plans, materials samples, building colors, and other items submitted as part of the approved application. Any proposed amendments to the approved plans or Conditions of Approval are subject to review and approval by the City. The Director of Community Development shall determine whether revisions are considered major or minor. Minor changes are subject to review and approval by the Director of Community Development. Major changes are subject to review at a public hearing. [COA] [PLANNING]

**GC-2. PERMIT EXPIRATION:**

The permit shall be null and void two years from the date of approval by the final review authority at a public hearing if the approval is not exercised, unless a written request for an extension is received prior to expiration date and is approved by the Director of Community Development. [SDR] [PLANNING]

GC-3. ENCROACHMENT PERMIT:

Prior to any work in the public right-of-way, obtain an encroachment permit with insurance requirements for all public improvements including a traffic control plan per the latest California Manual on Uniform Traffic Control Devices (MUTCD) standards to be reviewed and approved by the Department of Public Works. [COA] [PUBLIC WORKS]

**BP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS SUBMITTED FOR ANY DEMOLITION PERMIT, BUILDING PERMIT, GRADING PERMIT, AND/OR ENCROACHMENT PERMIT AND SHALL BE MET PRIOR TO THE ISSUANCE OF SAID PERMIT(S).**

BP-1. CONDITIONS OF APPROVAL:

Final plans shall include all Conditions of Approval included as part of the approved application starting on sheet 2 of the plans. [COA] [PLANNING]

BP-2. RESPONSE TO CONDITIONS OF APPROVAL:

A written response indicating how each condition has or will be addressed shall accompany the building permit set of plans. [COA] [PLANNING]

BP-3. BLUEPRINT FOR A CLEAN BAY:

The building permit plans shall include a "Blueprint for a Clean Bay" on one full sized sheet of the plans. [SDR] [PLANNING]

BP-4. LANDSCAPE PLAN:

If the project is modified to include new landscaping over 1,000 square feet, separate review of landscape and irrigation plans is required. Landscape and irrigation plans shall be prepared by a certified professional, and shall comply with Sunnyvale Municipal Code Chapter 19.37 requirements. Landscape and irrigation plans are subject to review and approval by the Director of Community Development through the submittal of a Miscellaneous Plan Permit (MPP). [COA] [PLANNING]

BP-5. GREEN BUILDING:

All new residential construction must complete the GreenPoint Rated Checklist and achieve a minimum 80 points.

BP-6. BEST MANAGEMENT PRACTICES:

The project shall comply with the following source control measures as outlined in the BMP Guidance Manual and SMC 12.60.220. Best management practices shall be identified on the building permit set of plans and shall be subject to review and approval by the Director of Public Works:

- a) Storm drain stenciling. The stencil is available from the City's Environmental Division Public Outreach Program, which may be reached by calling (408) 730-7738.

- b) Landscaping that minimizes irrigation and runoff, promotes surface infiltration where possible, minimizes the use of pesticides and fertilizers, and incorporates appropriate sustainable landscaping practices and programs such as Bay-Friendly Landscaping.
  - c) Appropriate covers, drains, and storage precautions for outdoor material storage areas, loading docks, repair/maintenance bays, and fueling areas.
  - d) Covered trash, food waste, and compactor enclosures.
  - e) Plumbing of the following discharges to the sanitary sewer, subject to the local sanitary sewer agency's authority and standards:
    - i) Discharges from indoor floor mat/equipment/hood filter wash racks or covered outdoor wash racks for restaurants.
    - ii) Dumpster drips from covered trash and food compactor enclosures.
    - iii) Discharges from outdoor covered wash areas for vehicles, equipment, and accessories.
    - iv) Swimming pool water, spa/hot tub, water feature and fountain discharges if discharge to onsite vegetated areas is not a feasible option.
    - v) Fire sprinkler test water, if discharge to onsite vegetated areas is not a feasible option. [SDR] [PLANNING]
- BP-7. ENCROACHMENT CONDITIONS:  
The building permit plans shall include all encroachment permit items. [COA] [PUBLIC WORKS]
- BP-8. CONSTRUCTION MATERIAL AND STAGING:  
All construction related materials, equipment, and construction workers parking need to be managed on-site and not located in the public right-of-ways or public easements. [COA] [PUBLIC WORKS]
- BP-9. REPLACEMENT TREES:  
One replacement tree in the front and one replacement tree in the rear yard shall be planted for the removed protected trees and shall be a specimen tree of at least 24-inch box size.
- BP-10. TREE PROTECTION PLAN:  
The applicant shall submit a tree protection plan for staff review. The tree protection plan shall be prepared by a certified arborist and shall include recommendations for ensuring the viability of existing protected trees during development, grading, and excavation. The arborist should prepare recommendations for construction methods and protection of the deodar cedar tree and its roots, located at 396 S. Pastoria Avenue.

**EP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED AS PART OF AN ENCROACHMENT PERMIT APPLICATION.**

- EP-1. WATER METER:  
Install new radio-read water meter and box. [SDR] [PUBLIC WORKS]
- EP-2. SEWER CLEANOUT:  
Install new sewer cleanouts at the property lines for all existing and proposed sanitary sewer laterals to be used for the project. [SDR] [PUBLIC WORKS]
- EP-3. DRIVEWAY APPROACHES:  
Remove existing driveway approach and install new driveway approach to comply with Americans with Disabilities Act (ADA) requirements and per city standard details and specifications. [COA] [PUBLIC WORKS]
- EP-4. STREET TREE:  
Add a note to plant City street tree in park strip. [SDR] [PUBLIC WORKS]
- EP-5. DAMAGE TO EXISTING PUBLIC IMPROVEMENTS:  
Developer shall be responsible to rectify any damage to the existing public improvements fronting and adjacent to the project site as a result of project construction to City's satisfaction by the Director of Public Works. [COA] [PUBLIC WORKS]
- EP-6. PUBLIC WORKS DEVELOPMENT FEES:  
Developer shall pay all applicable Public Works development fees associated with the project, including but not limited to, utility frontage and/or connection fees, off-site improvements plan check and inspection fees, prior to map recordation or any permit issuance, whichever occurs first. The exact fee amount shall be determined based upon the fee rate at the time of fee payment. [COA] [PUBLIC WORKS]

**DC: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES DURING THE CONSTRUCTION PHASE OF THE PROJECT.**

- DC-1. BLUEPRINT FOR A CLEAN BAY:  
The project shall be in compliance with stormwater best management practices for general construction activity until the project is completed and either final occupancy has been granted. [SDR] [PLANNING]
- DC-2. CLIMATE ACTION PLAN – OFF ROAD EQUIPMENT REQUIREMENT:  
a. Idling times will be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]), or less. Clear signage will be

provided at all access points to remind construction workers of idling restrictions.

- b. Construction equipment must be maintained per manufacturer's specifications.
- c. Planning and Building staff will work with project application to limit GHG emissions from construction equipment by selecting one of the following measures, at a minimum, as appropriate to the construction project:
  - i. Substitute electrified or hybrid equipment for diesel- and gasoline-powered equipment where practical.
  - ii. Use alternatively fueled construction equipment on-site, where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane, or biodiesel.
  - iii. Avoid the use of on-site generators by connecting to grid electricity or utilizing solar-powered equipment.
  - iv. Limit heavy-duty equipment idling time to a period of 3 minutes or less, exceeding CARB regulation minimum requirements of 5 minutes.  
[COA] [PLANNING]

DC-3. DUST CONTROL:

At all times, the Bay Area Air Quality Management District's CEQA Guidelines and "Basic Construction Mitigation Measures Recommended for All Proposed Projects", shall be implemented. [COA] [PLANNING]

**END OF CONDITIONS**