

**RECOMMENDED  
CONDITIONS OF APPROVAL AND  
STANDARD DEVELOPMENT REQUIREMENTS  
JULY 10, 2017**

**Planning Application 2014-7602**

688 Morse Avenue

**TENTATIVE PARCEL MAP & USE PERMIT** to subdivide one lot into two lots and build two new two-story single-family homes totaling 3,317 s.f. each (including garage).

**VARIANCE** to allow a shared zero-lot line side yard setback.

The following Conditions of Approval [COA] and Standard Development Requirements [SDR] apply to the project referenced above. The COAs are specific conditions applicable to the proposed project. The SDRs are items which are codified or adopted by resolution and have been included for ease of reference, they may not be appealed or changed. The COAs and SDRs are grouped under specific headings that relate to the timing of required compliance. Additional language within a condition may further define the timing of required compliance. Applicable mitigation measures are noted with "Mitigation Measure" and placed in the applicable phase of the project.

In addition to complying with all applicable City, County, State and Federal Statutes, Codes, Ordinances, Resolutions and Regulations, Permittee expressly accepts and agrees to comply with the following Conditions of Approval and Standard Development Requirements of this Permit:

<b>GC: THE FOLLOWING GENERAL CONDITIONS AND STANDARD DEVELOPMENT REQUIREMENTS SHALL APPLY TO THE APPROVED PROJECT.</b>
--

**GC-1. CONFORMANCE WITH APPROVED PLANNING APPLICATION:**

All building permit drawings and subsequent construction and operation shall substantially conform with the approved planning application, including: drawings/plans, materials samples, building colors, and other items submitted as part of the approved application. Any proposed amendments to the approved plans or Conditions of Approval are subject to review and approval by the City. The Director of Community Development shall determine whether revisions are considered major or minor. Minor changes are subject to review and approval by the Director of Community Development. Major changes are subject to review at a public hearing. [COA] [PLANNING]

**GC-2. PERMIT EXPIRATION:**

The permit shall be null and void two years from the date of approval by the final review authority at a public hearing if the approval is not

---

exercised, unless a written request for an extension is received prior to expiration date and is approved by the Director of Community Development. [SDR] [PLANNING]

GC-3. INDEMNITY:

The applicant/developer shall defend, indemnify, and hold harmless the City, or any of its boards, commissions, agents, officers, and employees (collectively, "City") from any claim, action, or proceeding against the City to attack, set aside, void, or annul, the approval of the project when such claim, action, or proceeding is brought within the time period provided for in applicable state and/or local statutes. The City shall promptly notify the developer of any such claim, action or proceeding. The City shall have the option of coordinating the defense. Nothing contained in this condition shall prohibit the City from participating in a defense of any claim, action, or proceeding if the City bears its own attorney's fees and costs, and the City defends the action in good faith. [COA] [OFFICE OF THE CITY ATTORNEY]

GC-4. NOTICE OF FEES PROTEST:

As required by California Government Code Section 66020, the project applicant is hereby notified that the 90-day period has begun as of the date of the approval of this application, in which the applicant may protest any fees, dedications, reservations, or other exactions imposed by the city as part of the approval or as a condition of approval of this development. The fees, dedications, reservations, or other exactions are described in the approved plans, conditions of approval, and/or adopted city impact fee schedule. [SDR] [PLANNING / OCA]

GC-5. STORMWATER MANAGEMENT PLAN:

Project is subject to Provision C3, of the Municipal Regional Stormwater Permit Order No. R2-2009-0074, as determined by a completed "Stormwater Management Plan Data Form", and therefore must submit a Stormwater Management Plan as per SMC 12.60.140 prior to issuance of the building permit. [SDR] [PLANNING]

GC-6. PUBLIC IMPROVEMENTS:

The developer is required to install, per Sunnyvale Municipal Code Sections 18.08, all public improvements, which may include but not be limited to, curb & gutter, sidewalks, driveway approaches, street pavements, utility connections, meters/vaults, trees and landscaping, striping, etc.

All public improvements shall be designed and constructed in accordance with current City design standards, standard details and specifications, and Americans with Disabilities Act (ADA) requirements

---

where applicable, unless otherwise approved by the Department of Public Works.

The developer is required to complete the installation of all public improvements and other improvements deemed necessary by the Public Works Department, prior to occupancy of the first building, or to the satisfaction of the Department of Public Works. [COA] [PUBLIC WORKS]

GC-7. OFF-SITE IMPROVEMENT PLANS:

Submit off-site improvement plans separate from the Building on-site improvement plans as the off-site improvement plans are approved through a Public Works Encroachment Permit process. Sheet C-2 of Preliminary Improvement Plan - Grading and Utility Plan dated 05/10/16 is subject to change during the plan check process. [SDR] [PUBLIC WORKS]

GC-8. ENCROACHMENT PERMIT:

Prior to any work in the public right-of-way, obtain an encroachment permit with insurance requirements for all public improvements including a traffic control plan per the latest California Manual on Uniform Traffic Control Devices (MUTCD) standards to be reviewed and approved by the Department of Public Works. [COA] [PUBLIC WORKS]

GC-9. PARCEL MAP RECORDATION:

This project is subject to, and contingent upon the approval of a tentative map and recordation of a Parcel Map. The submittal, approval and recordation of the Parcel Map shall be in accordance with the provisions of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 Subdivision requirements. All existing and proposed property lines, easements, dedications shown on the tentative map are subject to City's technical review and approval during the parcel map process prior to any grading or building permit. Sheet TM-1 of Tentative Map submittal dated 05/10/16 is subject to change during plan check process. [COA] [PUBLIC WORKS]

<b>PS: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO SUBMITTAL OF BUILDING PERMIT, AND/OR GRADING PERMIT.</b>
--

PS-1. REQUIRED REVISIONS TO PROJECT PLANS:

The second-story floor area of each home shall be reduced in size to a ratio of 60% of the first-story floor area.

PS-2. EXTERIOR MATERIALS REVIEW:

---

Final exterior building materials and color scheme are subject to review and approval by the Director of Community Development prior to submittal of a building permit. [COA] [PLANNING]

**BP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS SUBMITTED FOR BUILDING SUPERSTRUCTURE PERMIT AND/OR SHALL BE MET PRIOR TO THE ISSUANCE OF SAID PERMIT.**

BP-1. CONDITIONS OF APPROVAL:

Final plans shall include all Conditions of Approval included as part of the approved application starting on sheet 2 of the plans. [COA] [PLANNING]

BP-2. RESPONSE TO CONDITIONS OF APPROVAL:

A written response indicating how each condition has or will be addressed shall accompany the building permit set of plans. [COA] [PLANNING]

BP-3. NOTICE OF CONDITIONS OF APPROVAL:

A Notice of Conditions of Approval shall be filed in the official records of the County of Santa Clara and provide proof of such recordation to the City prior to issuance of any City permit, allowed use of the property, or Final Map, as applicable. The Notice of Conditions of Approval shall be prepared by the Planning Division and shall include a description of the subject property, the Planning Application number, attached conditions of approval and any accompanying subdivision or parcel map, including book and page and recorded document number, if any, and be signed and notarized by each property owner of record.

For purposes of determining the record owner of the property, the applicant shall provide the City with evidence in the form of a report from a title insurance company indicating that the record owner(s) are the person(s) who have signed the Notice of Conditions of Approval. [COA] [PLANNING]

BP-4. BLUEPRINT FOR A CLEAN BAY:

The building permit plans shall include a "Blueprint for a Clean Bay" on one full sized sheet of the plans. [SDR] [PLANNING]

BP-5. FEES AND BONDS:

---

The following fees and bonds shall be paid in full prior to issuance of building permit.

- a) TRANSPORTATION IMPACT FEE - Pay Traffic Impact fee for the net new trips resulting from the proposed project, estimated at **\$2,197.00**, prior to issuance of a Building Permit. (SMC 3.50). [SDR] [PLANNING]
- b) PARK IN-LIEU - Pay Park In-lieu fees estimated at **\$50,573.16**, prior to approval of the Final Map or Parcel Map. (SMC 18.10). [SDR] [PLANNING]

BP-6. MECHANICAL EQUIPMENT (EXTERIOR):

Detailed plans showing the locations of individual exterior mechanical equipment/air conditioning units shall be submitted and subject to review and approval by the Director of Community Development prior to issuance of building permits. Proposed locations shall have minimal visual and minimal noise impacts to neighbors and ensure adequate usable open space. Individual exterior mechanical equipment/air conditioning units shall be screened with architecture or landscaping features. [PLANNING] [COA]

BP-7. LANDSCAPE PLAN:

Landscape and irrigation plans shall be prepared by a certified professional, and shall comply with Sunnyvale Municipal Code Chapter 19.37 requirements. Landscape and irrigation plans are subject to review and approval by the Director of Community Development through the submittal of a Miscellaneous Plan Permit (MPP). The landscape plan shall include the following elements:

- a) All areas not required for parking, driveways or structures shall be landscaped.
- c) Provide trees at minimum 30 feet intervals along side and rear property lines, except where mature trees are located immediately adjoining on neighboring property.
- d) Ten percent (10%) shall be 24-inch box size or larger and no tree shall be less than 15-gallon size.
- f) Any “protected trees”, (as defined in SMC 19.94) approved for removal, shall be replaced with a specimen tree of at least 36-inch box size.
- g) Ground cover shall be planted so as to ensure full coverage eighteen months after installation.

BP-8. LANDSCAPE MAINTENANCE PLAN:

Prepare a landscape maintenance plan subject to review and approval by the Director of Community Development prior to issuance of building permit. [COA] [PLANNING]

**BP-9. TREE PROTECTION PLAN:**

Prior to issuance of a Demolition Permit, a Grading Permit or a Building Permit, whichever occurs first, obtain approval of a tree protection plan from the Director of Community Development. Two copies are required to be submitted for review. The tree protection plan shall include measures noted in Title 19 of the Sunnyvale Municipal Code and at a minimum:

- a) An inventory shall be taken of all existing trees on the plan including the valuation of all 'protected trees' by a certified arborist, using the latest version of the "Guide for Plant Appraisal" published by the International Society of Arboriculture (ISA).
- b) All existing (non-orchard) trees on the plans, showing size and varieties, and clearly specify which are to be retained.
- c) Provide fencing around the drip line of the trees that are to be saved and ensure that no construction debris or equipment is stored within the fenced area during the course of demolition and construction.
- d) The tree protection plan shall be installed prior to issuance of any Building or Grading Permits, subject to the on-site inspection and approval by the City Arborist and shall be maintained in place during the duration of construction and shall be added to any subsequent building permit plans. [COA] [PLANNING/CITY ARBORIST]

**BP-10. STORMWATER MANAGEMENT PLAN:**

Submit two copies of a Stormwater Management Plan subject to review and approval by Director of Community Development, pursuant to SMC 12.60, prior to issuance of building permit. The Stormwater Management Plan shall include as updated Stormwater Management Data Form. [COA] [PLANNING/ENVIRONMENTAL SERVICES]

**BP-11. STORM WATER MANAGEMENT PLAN THIRD PARTY CERTIFICATION:**

Third-party certification of the Stormwater Management Plan is required per the following guidance: City of Sunnyvale – Stormwater Quality BMP Applicant Guidance Manual for New and Redevelopment Projects – Addendum: Section 3.1.2 Certification of Design Criteria Third-Party Certification of Stormwater Management Plan Requirements. The third-party certification shall be provided prior to building permit issuance. [SDR] [PLANNING/PUBLIC WORKS]

**BP-12. BEST MANAGEMENT PRACTICES - STORMWATER:**

The project shall comply with the following source control measures as outlined in the BMP Guidance Manual and SMC 12.60.220. Best management practices shall be identified on the building permit set of

- 
- plans and shall be subject to review and approval by the Director of Public Works:
- a) Storm drain stenciling. The stencil is available from the City's Environmental Division Public Outreach Program, which may be reached by calling (408) 730-7738.
  - b) Landscaping that minimizes irrigation and runoff, promotes surface infiltration where possible, minimizes the use of pesticides and fertilizers, and incorporates appropriate sustainable landscaping practices and programs such as Bay-Friendly Landscaping.
  - c) Appropriate covers, drains, and storage precautions for outdoor material storage areas, loading docks, repair/maintenance bays, and fueling areas.
  - d) Covered trash, food waste, and compactor enclosures.
  - e) Plumbing of the following discharges to the sanitary sewer, subject to the local sanitary sewer agency's authority and standards:
    - i) Discharges from indoor floor mat/equipment/hood filter wash racks or covered outdoor wash racks for restaurants.
    - ii) Dumpster drips from covered trash and food compactor enclosures.
    - iii) Discharges from outdoor covered wash areas for vehicles, equipment, and accessories.
    - iv) Swimming pool water, spa/hot tub, water feature and fountain discharges if discharge to onsite vegetated areas is not a feasible option.
    - v) Fire sprinkler test water, if discharge to onsite vegetated areas is not a feasible option. [SDR] [PLANNING]
- BP-13. CITY STREET TREES:  
The landscape plan shall including street trees and shall be submitted for review and approval by the City Arborist prior to issuance of building permit. [COA] [ENGINEERING/CITY ARBORIST]
- BP-14. GREEN BUILDING:  
The plans submitted for building permits shall demonstrate the project achieves a minimum of 80 points on the Green Point Rated checklist, or the minimum points required effective at the time of building permit submittal. The project plans shall be accompanied with a letter from the project's Green Point Rater/LEED AP verifying the project is designed to achieve the required points. [COA] [PLANNING] [BUILDING]
- BP-15. CONSTRUCTION MANAGEMENT PLAN:  
The project applicant shall implement a Construction Management Plan (CMP) to minimize impacts of construction on surrounding

---

residential uses to the extent possible. The CMP shall be subject to review and approval by the Director of Community Development prior to issuance of a demolition permit, grading permit, or building permit. The CMP shall identify measures to minimize the impacts of construction including the following:

- a) Measures to control noise by limiting construction hours to those allowed by the SMC, avoiding sensitive early morning and evening hours, notifying residents prior to major construction activities, and appropriately scheduling use of noise-generating equipment.
- b) Use 'quiet' models of air compressors and other stationary noise sources where such technology exists.
- c) Equip all internal combustion engine-driven equipment with mufflers, which are in good condition and appropriate for the equipment.
- d) Locate all stationary noise-generating equipment, such as air compressors and portable power generators, as far away as possible from residences or other noise-sensitive land uses.
- e) Locate staging areas and construction material areas as far away as possible from residences or noise-sensitive land uses.
- f) Route all construction traffic to and from the project site via designated truck routes where possible. Prohibit construction-related heavy truck traffic in residential areas where feasible. Obtain approval of proposed construction vehicle truck routes from the Department of Public Works.
- g) Manage construction parking so that neighbors are not impacted by construction vehicles. When the site permits, all construction parking shall be on-site and not on the public streets.
- h) Prohibit unnecessary idling of internal combustion engine-driven equipment and vehicles.
- i) Notify all adjacent business, residents, and noise-sensitive land uses of the construction schedule in writing. Notify nearby residences of significant upcoming construction activities at appropriate stages in the project using mailing or door hangers.
- j) Designate a "disturbance coordinator" who would be responsible for responding to any local complaints about construction noise. The disturbance coordinator will determine the cause of the noise complaint and will require that reasonable measures warranted to correct the problem be implemented. Conspicuously post a telephone number for the disturbance coordinator at the construction site and include it in the notice sent to neighbors regarding the construction schedule. [COA] [PLANNING]



- BP-16. DEMOLITION/CONSTRUCTION/RECYCLING WASTE REPORT FORM:  
To mitigate the impacts of large projects on local waste disposal and recycling levels, demolition waste weights/volumes, construction weights/volumes, and recycling weights/volumes are to be reported to the City, per City's "waste & recycling reporting form" (electronic copy available) or a similar chart approved by the City. As part of the project's construction specifications, the developer shall track the type, quantity, and disposition of materials generated, and forward a complete report to the Department of Environmental Services, Solid Waste Division both periodically and at project completion. [COA] [ENVIRONMENTAL SERVICES]
- BP-17. UNDERGROUND UTILITIES:  
All utilities shall be undergrounded per Sunnyvale Municipal Code Chapter 19.38.095. Sheet C-2 of Preliminary Improvement Plan - Grading and Utility Plan dated 05/10/16 is subject to change during the plan check process. [COA] [PLANNING/PUBLIC WORKS]

**EP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED AS PART OF AN ENCROACHMENT PERMIT APPLICATION.**

- EP-1. COMPLETE OFF-SITE IMPROVEMENT PLAN SET:  
A complete plan check set applicable to the project, which may include street improvement plans, streetscape plans, streetlight plans, photometric analysis, signing/stripping plans, erosion control plans, traffic signal plans and traffic control plans shall be submitted as part of the first off-site improvement plans, including on-site and off-site engineering cost estimate. Joint trench plans may be submitted at a later date. No partial sets are allowed unless otherwise approved by the Department of Public Works. Sheet C-2 of Preliminary Improvement Plan - Grading and Utility Plan dated 05/10/16 is subject to change during plan check process. See Off-Site Improvement – Submittal Checklist link:  
<http://sunnyvale.ca.gov/Portals/0/Sunnyvale/DPW/LandDevelopment/Improvement-Plans-Submittal-Checklist.pdf> [COA][PUBLIC WORKS]
- EP-2. UPGRADE OF EXISTING PUBLIC IMPROVEMENTS:  
As part of the off-site improvement plan review and approval, any existing public improvements to be re-used by the project, which are not in accordance with current City standards and are not specifically identified in the herein project conditions (such as backflow preventers, sign posts, etc.), shall be upgraded to current City standards and as required by the Department of Public Works. [COA] [PUBLIC WORKS]

- 
- EP-3. BENCHMARKS:  
The improvement plans shall be prepared by using City's latest benchmarks (NAVD88) available on City's website <http://sunnyvale.ca.gov/Departments/PublicWorks/BenchMarks,RecordMapsandRecordDrawings.aspx>. Plans based on NAVD29 will not be accepted. [COA] [PUBLIC WORKS]
- EP-4. UTILITY CONNECTION:  
This project requires connection to all City utilities or private utilities operating under a City or State franchise which provide adequate levels of service. [COA] [PUBLIC WORKS]
- EP-5. EXISTING UTILITY ABANDONMENT/RELOCATION:  
Developer is responsible for research on all existing utility lines to ensure that there are no conflicts with the project. All existing utility lines (public or private) and/or their appurtenances not serving the project and/or have conflicts with the project, shall be capped, abandoned, removed, relocated and/or disposed of to the satisfaction of the City. Existing public facilities within the street right-of-way shall be abandoned per City's Abandonment Notes and procedures, including abandonment by other utility owners. [COA] [PUBLIC WORKS]
- EP-6. MODIFICATIONS TO EXISTING PUBLIC UTILITIES:  
Developer is required to pay for all changes or modifications to existing City utilities, streets and other public utilities within or adjacent to the project site, including but not limited to utility facilities/conduits/vaults relocation due to grade change in the sidewalk area, caused by the development. [COA] [PUBLIC WORKS]
- EP-7. DRY UTILITIES:  
Submit dry utility plans and/or joint trench plans (PG&E, telephone, cable TV, fiber optic, etc.) to the Public Works Department for review and approval prior to the issuance of any permits for utility work within any public right-of-way or public utility easements. Separate encroachment permits shall be required for various dry utility construction. [SDR] [PUBLIC WORKS]
- EP-8. WET UTILITIES:  
All wet utilities (water, sanitary sewer, storm drain) on private property shall be privately owned and maintained. The fire and domestic water systems shall be privately owned and maintained beyond the meter. [COA] [PUBLIC WORKS]
- EP-9. RE-USE OF EXISTING CITY UTILITY SERVICE LINES:  
The re-use of existing City water service lines is not allowed. Re-use of existing City sanitary sewer and storm drain service lines and

- 
- appurtenances is subject to City's review and approval. Developer's contractor shall expose the existing facilities during construction for City's evaluation or provide video footage of the existing pipe condition. Developer's contractor shall replace any deficient facilities as deemed necessary by the Department of Public Works. [COA] [PUBLIC WORKS]
- EP-10. SEWER CLEANOUT:  
Install new sewer cleanout at the street right-of-way lines for all existing and proposed sanitary sewer laterals to be used for the project. [SDR] [PUBLIC WORKS]
- EP-11. SANITARY SEWER VIDEO:  
The contractor shall make a video copy of the interior of the new sanitary sewer lateral installed prior to it is put into service. [COA] [PUBLIC WORKS]
- EP-12. SANITARY SEWER AND STORM DRAIN TRIBUTARY PATTERN:  
This project is required to follow the existing sanitary sewer and storm drain tributary pattern. Any deviations would require additional analysis and subject to approval by the Public Works Department as part of the off-site improvement plan review process. This project shall not cause any negative impact on the drainage pattern for adjacent properties. [COA] [PUBLIC WORKS]
- EP-13. UTILITY METER/VAULT:  
No existing or new utility meters or vaults shall be located within the new driveway approach. All existing or new utility vaults serving the project site shall be located on-site and not within the public utility easement, if any. [COA] [PUBLIC WORKS]
- EP-14. DRIVEWAY APPROACHES:  
Remove existing driveway approaches and install new driveway approaches along the project frontage to comply with Americans with Disabilities Act (ADA) requirements and City standard details and specifications. All unused driveway approaches shall be replaced with new curbs, gutters, and sidewalks per current City standards. To remain and protect three (3) existing mature trees in public right-of-way, the proposed driveway approaches shown on plans may be subject to modification under City Engineer's direction during construction. [SDR] [PUBLIC WORKS]
- EP-15. STREETSCAPE IMPROVEMENTS:  
Along project frontage on Morse Avenue, with careful hand excavation and under City arborist's supervision and direction, remove existing concrete curb, gutter and sidewalk and install new concrete curb and 2' gutter per current City standards. To protect existing mature trees, install a detached 6' wide sidewalk with 4' wide park-strip (not

- 
- including 6-inch curb) and attached 6' wide sidewalk. Provide sidewalk transition to conform to existing ones to comply with ADA requirements. [SDR] [PUBLIC WORKS]
- EP-16. ROOT BARRIER:  
Install a continuous root barrier along new sidewalk adjacent to City trees per City standard details and specifications. [SDR] [PUBLIC WORKS]
- EP-17. DECORATIVE PAVEMENT:  
Any and all proposed decorative pavement and vertical curb pertaining to on-site development shall not be located within the City right-of-way. [COA] [PUBLIC WORKS]
- EP-18. SIGNING AND STRIPING PLANS:  
Submit a signing and striping plan in accordance with the latest edition of the CA MUTCD to City for review and approval by the Public Works Department. [COA] [PUBLIC WORKS]
- EP-19. TRAFFIC CONTROL PLAN:  
Submit a traffic control plan with the off-site improvement plans for review and approval. All construction related materials, equipment, and construction workers parking need to be stored on-site and the public streets need to be kept free and clear of construction debris. [COA] [PUBLIC WORKS]
- EP-20. SLURRY SEAL:  
Developer shall be responsible to install Type II slurry seal on Morse Avenue from lip of gutter to street centerline along project frontage. Sheet C-2 of Preliminary Improvement Plans - Grading and Utility Plan dated 05/10/16 is subject to change during plan check process. [COA] [PUBLIC WORKS]
- EP-21. PROTECTION OF EXISTING TREES:  
Careful hand excavation under City Arborist's supervision and direction is required to protect and remain three (3) existing mature trees in public right-of-way. No utility trench shall be allowed within 15' radius of an existing mature tree. Boring, air spade or other excavation method as approved by the City Arborist shall be considered to protect existing mature tree. Consult with the City Arborist prior to adjusting locations of utility lines. [SDR] [PUBLIC WORKS]
- EP-22. DAMAGE TO EXISTING PUBLIC IMPROVEMENTS:  
Developer shall be responsible to rectify any damage to the existing public improvements fronting and adjacent to the project site as a result of project construction, to City's satisfaction by the Public Works Department. All existing traffic detector loops and conduits shall be

---

protected in place during construction. Any damaged detector loops shall be replaced within 7 days at the expense of the developer. [COA] [PUBLIC WORKS]

EP-23. RECORD DRAWINGS:

Stamped and signed record drawings of the off-site improvements shall be submitted to the city prior to encroachment permit sign-off. Upon completion of the streetlight improvements, developer shall provide record drawings to the City in AutoCAD format [COA] [PUBLIC WORKS] (SMC 13.08.160(a))

<b>TM: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO THE APPROVAL OF THE FINAL MAP OR PARCEL MAP.</b>
--

TM-1. PARCEL MAP COMPLIANCE WITH TENTATIVE MAP: The parcel map shall be substantially the same as the tentative map. Any alteration of the tentative map after the tentative map is approved is subject to additional approval by the City and may require a public hearing. Sheet TM-1 of Tentative Map submittal dated 05/10/16 is subject to change during plan check process. [COA] [PLANNING/PUBLIC WORKS]

TM-2. TITLE 18 AND SUBDIVISION MAP ACT:  
The submittal, approval and recordation of the parcel map shall be in accordance with the provision of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 Subdivision requirements. [COA] [PUBLIC WORKS]

TM-3. PUBLIC SIDEWALK EASEMENT:  
This project requires dedication of adequate sidewalk easement to accomplish new detached 6' wide sidewalk with 4' wide park-strip. The proposed sidewalk easement shown on sheet TM-1 of Tentative Map submittal dated 05/10/16 may be modified slightly on the parcel map. [COA] [PUBLIC WORKS]

TM-4. UTILITY COMPANY APPROVAL:  
Obtain map approval letters from the utility companies in regards to any existing or new easements associated with their facilities. [COA] [PUBLIC WORKS]

TM-5. PUBLIC WORKS DEVELOPMENT FEES:  
The developer shall pay all applicable Public Works development fees associated with the project, including but not limited to, utility frontage and/or connection fees and off-site improvement plan check and inspection fees, prior to map recordation or any permit issuance, whichever occurs first. The exact fee amount shall be determined based upon the fee rate at the time of fee payment. [COA] [PUBLIC WORKS]

- TM-6. SUBDIVISION AGREEMENT AND IMPROVEMENT SECURITIES:  
The developer shall execute a subdivision agreement and provide improvement securities and/or cash deposit(s) for all proposed public improvements prior to map recordation or any permit issuance, whichever occurs first. Provide an itemized engineer's estimate for all off-site public improvements for the entire project for determination of security amount. [COA] [PUBLIC WORKS]

**PF: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS AND/OR SHALL BE MET PRIOR TO RELEASE OF UTILITIES OR ISSUANCE OF A CERTIFICATE OF OCCUPANCY.**

- PF-1. LANDSCAPING AND IRRIGATION:  
All landscaping and irrigation as contained in the approved building permit plan shall be installed prior to occupancy. [COA] [PLANNING]
- PF-2. COMPLETION OF PUBLIC IMPROVEMENTS:  
Developer shall complete all required public improvements as required and in accordance with City approved plans, prior to any building occupancy. [COA] [PUBLIC WORKS]

**DC: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES DURING THE CONSTRUCTION PHASE OF THE PROJECT.**

- DC-1. BLUEPRINT FOR A CLEAN BAY:  
The project shall be in compliance with stormwater best management practices for general construction activity until the project is completed and either final occupancy has been granted. [SDR] [PLANNING]
- DC-2. TREE PROTECTION:  
All tree protection shall be maintained, as indicated in the tree protection plan, until construction has been completed and the installation of landscaping has begun. [COA] [PLANNING]
- DC-3. CLIMATE ACTION PLAN – OFF ROAD EQUIPMENT REQUIREMENT:  
OR 2.1: Idling times will be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]), or less. Clear

---

signage will be provided at all access points to remind construction workers of idling restrictions.

OR 2.2: Construction equipment must be maintained per manufacturer's specifications.

OR 2.3: Planning and Building staff will work with project applicants to limit GHG emissions from construction equipment by selecting one of the following measures, at a minimum, as appropriate to the construction project:

- a) Substitute electrified or hybrid equipment for diesel- and gasoline-powered equipment where practical.
- b) Use alternatively fueled construction equipment on-site, where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane, or biodiesel.
- c) Avoid the use of on-site generators by connecting to grid electricity or utilizing solar-powered equipment.
- d) Limit heavy-duty equipment idling time to a period of 3 minutes or less, exceeding CARB regulation minimum requirements of 5 minutes. [COA] [PLANNING]

DC-4. DUST CONTROL:

At all times, the Bay Area Air Quality Management District's CEQA Guidelines and "Basic Construction Mitigation Measures Recommended for All Proposed Projects", shall be implemented. [COA] [PLANNING]

<p><b>AT: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES THAT THE USE PERMITTED BY THIS PLANNING APPLICATION OCCUPIES THE PREMISES.</b></p>
---

AT-1. LANDSCAPE MAINTENANCE:

All landscaping shall be installed in accordance with the approved landscape plan and shall thereafter be maintained in a neat, clean, and healthful condition. Trees shall be allowed to grow to the full genetic height and habit (trees shall not be topped). Trees shall be maintained using standard arboriculture practices. [COA] [PLANNING]

AT-2. BMP MAINTENANCE:

The project applicant, owner, landlord, or HOA, must properly maintain any structural or treatment control best management practices to be implemented in the project, as described in the approved Stormwater

---

Management Plan and indicated on the approved building permit plans.  
[SDR] [PLANNING]

AT-3. BMP RIGHT OF ENTRY:

The project applicant, owner, landlord, or HOA, shall provide access to the extent allowable by law for representatives of city, the local vector control district, and the Regional Water Quality Control Board, strictly for the purposes of verification of proper operation and maintenance for the storm water treatment best management practices contained in the approved Storm Water Management Plan.[SDR] [PLANNING]

AT-4. SOLID WASTE RECYCLING MANAGEMENT:

Waste and recycling services for residential uses shall be maintained under a master account held by the applicant, owner or landlord. The account holder will be responsible for ensuring adequate services and that all locations, private sidewalks and streets are kept free of litter and stains. Requirements shall be specified in the approved documents and be submitted for approval by the City. [COA] [ENVIRONMENTAL SERVICES]