



Sunnyvale

Mary Avenue Overcrossing Environmental Impact Report (EIR)


Ria Hutabarat Lo
Transportation Manager
City Council, February 27, 2018



Mary Avenue Overcrossing



Project Options



OPTION 5: Remove from General Plan (No build)

What has changed?

Progress on Analyses 11/2017

Ability to assess impacts (CEQA) and compare options (LUTE)

LUTE Adopted 4/2017


Clarity on policies to guide designation of preferred project

Case Law 11/2017

Requirement for agencies to select a preferred project for EIR

Need to designate preferred “project” for purposes of EIR

Updated EIR Process



Technical analyses and concept design refinement	Select preferred project for EIR	Draft EIR	Final EIR
--	----------------------------------	-----------	-----------

Recommended Next Steps

- ★ Contract amendment and budget modification
 - Finalize technical analyses
 - ★ Community and stakeholder outreach
 - ★ Council session to designate preferred alternative for the EIR
 - ★ Reissue Notice of Preparation (NOP)
 - ★ Reformat content
 - Draft EIR and public comment
 - Final EIR
 - Council session to certify EIR
- (Decision on project would be made after all of these steps)

Staff Recommendation

- Authorize City Manager to execute contract amendment to undertake additional work required by CEQA
- Approve increase to contract contingency
- Approve Budget Modification No. 40 for \$47,556



Sunnyvale

Thank you!

Ria Hutabarat Lo, PhD
rlo@sunnyvale.ca.gov
408-730-7502

