
**RECOMMENDED
CONDITIONS OF APPROVAL AND
STANDARD DEVELOPMENT REQUIREMENTS
October 28, 2019**

**Planning Application 2017-8019
421 E. Washington Ave.**

SPECIAL DEVELOPMENT PERMIT to demolish two existing residential units and construct two new two-story detached single family homes, resulting in 2,233 square feet (1,826 square feet of living area and 407 square feet garage) and 56% Floor Area Ratio (FAR) for each home. The project includes reduced lot area and lot width for a small lot subdivision and a deviation to allow tandem parking.

TENTATIVE PARCEL MAP to subdivide one lot into two lots.

The following Conditions of Approval [COA] and Standard Development Requirements [SDR] apply to the project referenced above. The COAs are specific conditions applicable to the proposed project. The SDRs are items which are codified or adopted by resolution and have been included for ease of reference, they may not be appealed or changed. The COAs and SDRs are grouped under specific headings that relate to the timing of required compliance. Additional language within a condition may further define the timing of required compliance. Applicable mitigation measures are noted with "Mitigation Measure" and placed in the applicable phase of the project.

In addition to complying with all applicable City, County, State and Federal Statutes, Codes, Ordinances, Resolutions and Regulations, Permittee expressly accepts and agrees to comply with the following Conditions of Approval and Standard Development Requirements of this Permit:

<p>GC: THE FOLLOWING GENERAL CONDITIONS AND STANDARD DEVELOPMENT REQUIREMENTS SHALL APPLY TO THE APPROVED PROJECT.</p>

GC-1. CONFORMANCE WITH APPROVED PLANNING APPLICATION:

All building permit drawings and subsequent construction and operation shall substantially conform with the approved planning application, including: drawings/plans, materials samples, building colors, and other items submitted as part of the approved application. Any proposed amendments to the approved plans or Conditions of

- Approval are subject to review and approval by the City. The Director of Community Development shall determine whether revisions are considered major or minor. Minor changes are subject to review and approval by the Director of Community Development. Major changes are subject to review at a public hearing. [COA] [PLANNING]
- GC-2. ENTITLEMENTS—EXERCISE AND EXPIRATION:
The approved entitlements shall be null and void two years from the date of approval by the final review authority if the approval is not exercised, unless a written request for an extension is received prior to the expiration date and is approved by the Director of Community Development. [SDR] (PLANNING)
- GC-3. INDEMNITY:
The applicant/developer shall defend, indemnify, and hold harmless the City, or any of its boards, commissions, agents, officers, and employees (collectively, "City") from any claim, action, or proceeding against the City to attack, set aside, void, or annul, the approval of the project when such claim, action, or proceeding is brought within the time period provided for in applicable state and/or local statutes. The City shall promptly notify the developer of any such claim, action or proceeding. The City shall have the option of coordinating the defense. Nothing contained in this condition shall prohibit the City from participating in a defense of any claim, action, or proceeding if the City bears its own attorney's fees and costs, and the City defends the action in good faith. [COA] [OFFICE OF THE CITY ATTORNEY]
- GC-4. NOTICE OF FEES PROTEST:
As required by California Government Code Section 66020, the project applicant is hereby notified that the 90-day period has begun as of the date of the approval of this application, in which the applicant may protest any fees, dedications, reservations, or other exactions imposed by the city as part of the approval or as a condition of approval of this development. The fees, dedications, reservations, or other exactions are described in the approved plans, conditions of approval, and/or adopted city impact fee schedule. [SDR] [PLANNING / OCA]
- GC-5. PUBLIC IMPROVEMENTS:
The developer is required to install, per Sunnyvale Municipal Code Sections 18.08, all public improvements, which may include but not be limited to, curb & gutter, sidewalks, driveway approaches, street pavements, utility connections, meters, trees and landscaping, etc.

All public improvements shall be designed and constructed in accordance with current City design standards, standard details and specifications, and Americans with Disabilities Act (ADA) requirements where applicable, unless otherwise approved by the Department of Public Works.

The developer is required to complete the installation of all public improvements and other improvements deemed necessary by the Public Works Department, prior to occupancy of the first building, or to the satisfaction of the Department of Public Works. [COA] [PUBLIC WORKS]

GC-6. OFF-SITE IMPROVEMENT PLANS:

Submit off-site improvement plans separate from the Building on-site improvement plans as the off-site improvement plans are approved through a Public Works Encroachment Permit process. Sheet C-2 of Precise Grading and Utility Plan dated 05/21/19 is subject to change during the plan check process. [SDR] [PUBLIC WORKS]

GC-7. ENCROACHMENT PERMIT:

Prior to any work in the public right-of-way, obtain an encroachment permit with insurance requirements for all public improvements including a traffic control plan per the latest California Manual on Uniform Traffic Control Devices (MUTCD) standards to be reviewed and approved by the Department of Public Works. [COA] [PUBLIC WORKS]

GC-8. PARCEL MAP RECORDATION:

This project is subject to, and contingent upon the approval of a tentative parcel map and recordation of a Parcel Map. The submittal, approval and recordation of the Parcel Map shall be in accordance with the provisions of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 Subdivision requirements. All existing and proposed property lines, easements, dedications shown on the tentative parcel map are subject to City's technical review and approval during the parcel map process prior to any grading or building permit. Sheet "Tentative Parcel Map" submittal dated 05/21/19 is subject to change during plan check process. [COA] [PUBLIC WORKS]

PS: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO SUBMITTAL OF BUILDING PERMIT, AND/OR GRADING PERMIT.

PS-1. EXTERIOR MATERIALS REVIEW:

Final exterior building materials and color scheme are subject to review and approval by the Director of Community Development prior to submittal of a building permit. [COA] [PLANNING]

PS-2. SIDE ELEVATION WINDOWS:

Windows along the side elevations shall be high sill (bottom sill is 5 feet from the ground) and/or made of opaque glass. [COA] [PLANNING]

BP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS SUBMITTED FOR FOUNDATION BUILDING PERMIT, GRADING PERMIT, AND/OR ENCROACHMENT PERMIT AND SHALL BE MET PRIOR TO THE ISSUANCE OF SAID PERMIT(S). THESE CONDITIONS SHALL ALSO BE COMPLIED WITH DURING CONSTRUCTION APPROVED UNDER ANY SUBSEQUENT SUPERSTRUCTURE PERMITS, IF APPLICABLE.

BP-1. CONDITIONS OF APPROVAL:

Final plans shall include all Conditions of Approval included as part of the approved application starting on sheet 2 of the plans. [COA] [PLANNING]

BP-2. RESPONSE TO CONDITIONS OF APPROVAL:

A written response indicating how each condition has or will be addressed shall accompany the building permit set of plans. [COA] [PLANNING]

BP-3. NOTICE OF CONDITIONS OF APPROVAL:

A Notice of Conditions of Approval shall be filed in the official records of the County of Santa Clara and provide proof of such recordation to the City prior to issuance of any City permit, allowed use of the property, or Final Map, as applicable. The Notice of Conditions of Approval shall be prepared by the Planning Division and shall include a description of the subject property, the Planning Application number, attached conditions of approval and any accompanying subdivision or parcel map, including book and page and recorded document number, if any, and be signed and notarized by each property owner of record.

For purposes of determining the record owner of the property, the applicant shall provide the City with evidence in the form of a report from a title insurance company indicating that the record owner(s) are

- BP-4. **MECHANICAL EQUIPMENT (EXTERIOR):**
Detailed plans showing the locations of individual exterior mechanical equipment/air conditioning units shall be submitted and subject to review and approval by the Director of Community Development prior to issuance of building permits. Proposed locations shall have minimal visual and minimal noise impacts to neighbors and ensure adequate usable open space. Individual exterior mechanical equipment/air conditioning units shall be screened with architecture or landscaping features. [PLANNING] [COA]
- BP-5. **LANDSCAPE PLAN:**
Landscape and irrigation plans shall be prepared by a certified professional, and shall comply with Sunnyvale Municipal Code Chapter 19.37 requirements. Landscape and irrigation plans are subject to review and approval by the Director of Community Development through the submittal of a Miscellaneous Plan Permit (MPP). The landscape plan shall include the following elements:
- a) All areas not required for parking, driveways or structures shall be landscaped.
 - b) Ground cover shall be planted so as to ensure full coverage eighteen months after installation.
- BP-6. **LANDSCAPE MAINTENANCE PLAN:**
Prepare a landscape maintenance plan subject to review and approval by the Director of Community Development prior to issuance of building permit. Plans shall demonstrate compliance with the Water Efficient landscaping requirements.[COA] [PLANNING]
- BP-7. **STORMWATER MANAGEMENT CALCULATIONS:**
Submit two copies of the City of Sunnyvale Impervious Surface Calculation worksheet prior to issuance of a Building Permit. [COA] [PLANNING]
- BP-8. **BEST MANAGEMENT PRACTICES - STORMWATER:**
The project shall comply with the following source control measures as outlined in the BMP Guidance Manual and SMC 12.60.220. Best management practices shall be identified on the building permit set of plans and shall be subject to review and approval by the Director of Public Works:
- a) Storm drain stenciling. The stencil is available from the City's Environmental Division Public Outreach Program, which may be reached by calling (408) 730-7738.

- b) Landscaping that minimizes irrigation and runoff, promotes surface infiltration where possible, minimizes the use of pesticides and fertilizers, and incorporates appropriate sustainable landscaping practices and programs such as Bay-Friendly Landscaping.
- c) Appropriate covers, drains, and storage precautions for outdoor material storage areas, loading docks, repair/maintenance bays, and fueling areas.
- d) Covered trash, food waste, and compactor enclosures.
- e) Plumbing of the following discharges to the sanitary sewer, subject to the local sanitary sewer agency's authority and standards:
 - i) Discharges from indoor floor mat/equipment/hood filter wash racks or covered outdoor wash racks for restaurants.
 - ii) Dumpster drips from covered trash and food compactor enclosures.
 - iii) Discharges from outdoor covered wash areas for vehicles, equipment, and accessories.
 - iv) Swimming pool water, spa/hot tub, water feature and fountain discharges if discharge to onsite vegetated areas is not a feasible option.
 - v) Fire sprinkler test water, if discharge to onsite vegetated areas is not a feasible option. [SDR] [PLANNING]

BP-9. DEMOLITION/CONSTRUCTION/RECYCLING WASTE REPORT FORM:
To mitigate the impacts of large projects on local waste disposal and recycling levels, demolition waste weights/volumes, construction weights/volumes, and recycling weights/volumes are to be reported to the City, per City's "waste & recycling reporting form" (electronic copy available) or a similar chart approved by the City. As part of the project's construction specifications, the developer shall track the type, quantity, and disposition of materials generated, and forward a complete report to the Department of Environmental Services, Solid Waste Division both periodically and at project completion. [COA] [ENVIRONMENTAL SERVICES]

BP-10. SOLID WASTE DISPOSAL AND RECYCLING DESIGN PLAN:
A detailed solid waste disposal and recycling design plan shall be submitted for review and approval by the Director of Community Development prior to issuance of building permit. The solid waste disposal plan and building permit plans shall demonstrate compliance

- with current City requirements and guidelines for residential/multi-family projects. [COA] [PLANNING/ENVIRONMENTAL SERVICES]
- BP-11. CONSTRUCTION MATERIAL AND STAGING:
All construction related materials, equipment, and construction workers parking need to be managed on-site and not located in the public right-of-ways or public easements. [COA] [PUBLIC WORKS]
- BP-12. EXTERIOR LIGHTING PLAN:
Prior to issuance of a Building Permit submit an exterior lighting plan, including fixture and pole designs, for review and approval by the Director of Community Development.
- a) Wall packs shall not extend above the roof of the building.
 - b) Lights shall have shields to prevent glare onto adjacent residential properties. [COA] [PLANNING]
- BP-13. PHOTOMETRIC PLAN:
Prior to issuance of a Building Permit submit a contour photometric plan for approval by the Director of Community Development. The plan shall meet the specifications noted in the Standard Development Requirements. [COA] [PLANNING]
- BP-14. GREEN BUILDING:
The plans submitted for building permits shall demonstrate the project achieves a minimum of 80 points on the Green Point Rated checklist, or the minimum points required effective at the time of building permit submittal. The project plans shall be accompanied with a letter from the project's Green Point Rater/LEED AP verifying the project is designed to achieve the required points. [COA] [PLANNING] [BUILDING]
- BP-15. CONSTRUCTION MANAGEMENT PLAN:
The project applicant shall implement a Construction Management Plan (CMP) to minimize impacts of construction on surrounding residential uses to the extent possible. The CMP shall be subject to review and approval by the Director of Community Development prior to issuance of a demolition permit, grading permit, or building permit. The CMP shall identify measures to minimize the impacts of construction including the following:
- a) Measures to control noise by limiting construction hours to those allowed by the SMC, avoiding sensitive early morning and evening hours, notifying residents prior to major construction

activities, and appropriately scheduling use of noise-generating equipment.

- b) Use 'quiet' models of air compressors and other stationary noise sources where such technology exists.
- c) Equip all internal combustion engine-driven equipment with mufflers, which are in good condition and appropriate for the equipment.
- d) Locate all stationary noise-generating equipment, such as air compressors and portable power generators, as far away as possible from residences or other noise-sensitive land uses.
- e) Locate staging areas and construction material areas as far away as possible from residences or noise-sensitive land uses.
- f) Route all construction traffic to and from the project site via designated truck routes where possible. Prohibit construction-related heavy truck traffic in residential areas where feasible. Obtain approval of proposed construction vehicle truck routes from the Department of Public Works.
- g) Manage construction parking so that neighbors are not impacted by construction vehicles. When the site permits, all construction parking shall be on-site and not on the public streets.
- h) Prohibit unnecessary idling of internal combustion engine-driven equipment and vehicles.
- i) Notify all adjacent business, residents, and noise-sensitive land uses of the construction schedule in writing. Notify nearby residences of significant upcoming construction activities at appropriate stages in the project using mailing or door hangers.
- j) Designate a "disturbance coordinator" who would be responsible for responding to any local complaints about construction noise. The disturbance coordinator will determine the cause of the noise complaint and will require that reasonable measures warranted to correct the problem be implemented. Conspicuously post a telephone number for the disturbance coordinator at the construction site and include it in the notice sent to neighbors regarding the construction schedule. [COA] [PLANNING]

BP-16. DEMOLITION/CONSTRUCTION/RECYCLING WASTE REPORT FORM: To mitigate the impacts of large projects on local waste disposal and recycling levels, demolition waste weights/volumes, construction weights/volumes, and recycling weights/volumes are to be reported to the City, per City's "waste & recycling reporting form" (electronic copy available) or a similar chart approved by the City. As part of the project's

construction specifications, the developer shall track the type, quantity, and disposition of materials generated, and forward a complete report to the Department of Environmental Services, Solid Waste Division both periodically and at project completion. [COA] [ENVIRONMENTAL SERVICES]

BP-17. SOLID WASTE DISPOSAL AND RECYCLING DESIGN PLAN:

A detailed solid waste disposal and recycling design plan shall be submitted for review and approval by the Director of Community Development prior to issuance of building permit. The solid waste disposal plan and building permit plans shall demonstrate compliance with current City requirements and guidelines for residential/multi-family projects. [COA] [PLANNING/ENVIRONMENTAL SERVICES]

EP: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED AS PART OF AN ENCROACHMENT PERMIT APPLICATION.

EP-1. COMPLETE OFF-SITE IMPROVEMENT PLAN SET:

A complete plan check set applicable to the project, which may include street improvement plans, streetscape plans, erosion control plans and traffic control plans shall be submitted as part of the first off-site improvement plans, including on-site and off-site engineering cost estimate and the initial Engineering and Inspection plan review fee. Joint trench plans may be submitted at a later date. No partial sets are allowed unless otherwise approved by the Department of Public Works. Sheet C-2 of Precise Grading and Utility Plan dated 05/21/19 is subject to change during the plan check process. See Improvement Plan Checklist and Improvement Plan Submittal Checklist at the following 2 links:

<https://sunnyvale.ca.gov/civicax/filebank/blobdload.aspx?BlobID=24002>

<https://sunnyvale.ca.gov/civicax/filebank/blobdload.aspx?BlobID=23625> [COA] [PUBLIC WORKS]

EP-2. UPGRADE OF EXISTING PUBLIC IMPROVEMENTS:

As part of the off-site improvement plan review and approval, any existing public improvements to be re-used by the project, which are not in accordance with current City standards and are not specifically identified in the herein project conditions (such as backflow preventers, sign posts, etc.), shall be upgraded to current City standards and as required by the Department of Public Works. [COA] [PUBLIC WORKS]

EP-3. BENCHMARKS:

The improvement plans shall be prepared by using City's latest benchmarks (NAVD88) available on City's website <https://sunnyvale.ca.gov/civicax/filebank/blobdload.aspx?BlobID=23803> Plans based on NAVD29 will not be accepted. [COA] [PUBLIC WORKS]

EP-4. UTILITY CONNECTION:

This project requires connection to all City utilities or private utilities operating under a City or State franchise which provide adequate levels of service. [COA] [PUBLIC WORKS]

EP-5. UTILITY CONNECTION TO THE MAIN:

All sanitary sewer laterals connecting to the existing main line shall be a wye connection. Sheet C-2 of Precise Grading and Utility Plan dated 05/21/19 is subject to change during the plan check process. [SDR] [PUBLIC WORKS]

EP-6. POTHOLING OF EXISTING DRY UTILITIES:

Concurrent with the initial submittal of off-site improvement plans, obtain an encroachment permit for potholing purposes to locate existing dry utilities. Use pothole information to identify possible conflict between the proposed location of City trees and existing utilities, proposed joint trench, and proposed connection of gravity utilities. Potholing is to take place in a timely manner so that this does not hold up the review of the improvement plans. [COA] [PUBLIC WORKS]

EP-7. EXISTING UTILITY ABANDONMENT/RELOCATION:

Developer is responsible for research on all existing utility lines to ensure that there are no conflicts with the project. All existing utility lines (public or private) and/or their appurtenances not serving the project and/or have conflicts with the project, shall be capped, abandoned, removed, relocated and/or disposed of to the satisfaction of the City. Existing public facilities within the street right-of-way shall be abandoned per City's Abandonment Notes and procedures, including abandonment by other utility owners. [COA] [PUBLIC WORKS]

EP-8. MODIFICATIONS TO EXISTING PUBLIC UTILITIES:

Developer is required to pay for all changes or modifications to existing City utilities, streets and other public utilities within or adjacent to the project site, including but not limited to utility

- facilities/conduits/vaults relocation due to grade change in the sidewalk area, caused by the development. [COA] [PUBLIC WORKS]
- EP-9. DRY UTILITIES:
Submit dry utility plans and/or joint trench plans (PG&E, telephone, cable TV, fiber optic, etc.) to the Public Works Department for review and approval prior to the issuance of any permits for utility work within any public right-of-way or public utility easements. Separate encroachment permits shall be required for various dry utility construction. [SDR] [PUBLIC WORKS]
- EP-10. WET UTILITIES:
All wet utilities (water, sanitary sewer, storm drain) on private property shall be privately owned and maintained. The fire and domestic water systems shall be privately owned and maintained beyond the meter. [COA] [PUBLIC WORKS]
- EP-11. RE-USE OF EXISTING CITY UTILITY SERVICE LINES:
The re-use of existing city water service lines is not allowed. Re-use of existing city sanitary sewer and storm drain service lines and appurtenances is subject to city's review and approval. Developer's contractor shall expose the existing facilities during construction for city's evaluation or provide video footage of the existing pipe condition. Developer's contractor shall replace any deficient facilities as deemed necessary by the department of public works. Sheet C-2 of Precise Grading and Utility Plan dated 05/21/19 is subject to change during the plan check process. [COA] [PUBLIC WORKS]
- EP-12. WATER METER:
Install new radio-read domestic water meter(s) at each point of connection to the water main. For water meter size two (2) inch or larger, provide meter sizing calculations to the Department of Public Works for approve of meter size.
- EP-13. SEWER CLEANOUT:
Install new sewer cleanout at the new street right-of-way lines for all proposed sanitary sewer laterals to be used for the project.
- EP-14. SANITARY SEWER AND STORM DRAIN TRIBUTARY PATTERN:
This project is required to follow the existing sanitary sewer and storm drain tributary pattern. Any deviations would require additional analysis and subject to approval by the Public Works Department as part of the off-site improvement plan review process. This project shall

- not cause any negative impact on the drainage pattern for adjacent properties. [COA] [PUBLIC WORKS]
- EP-15. UTILITY METER/VAULT:
No existing or new utility meters or vaults shall be located within the new driveway approach. All existing or new utility vaults serving the project site shall be located on-site and not within the public utility easement, if any. [COA] [PUBLIC WORKS]
- EP-16. DRIVEWAY APPROACHES:
Remove existing driveway approaches and install new driveway approaches along the project frontage to comply with Americans with Disabilities Act (ADA) requirements and City standard details and specifications. All unused driveway approaches shall be replaced with new curbs, gutters, and sidewalks per current City standards. [SDR] [PUBLIC WORKS]
- EP-17. STREETSCAPE IMPROVEMENTS:
Along project frontage on East Washington Avenue, remove existing concrete curb, gutter and sidewalk and install new concrete curb and 2' gutter per current City standards. Install attached 6' wide sidewalk (not including 6-inch curb). [SDR] [PUBLIC WORKS]
- EP-18. ROOT BARRIER:
Install a continuous root barrier along new sidewalk adjacent to City trees per City standard details and specifications. [SDR] [PUBLIC WORKS]
- EP-19. DECORATIVE PAVEMENT:
Any and all proposed decorative pavement and vertical curb pertaining to on-site development shall not be located within the City right-of-way. [COA] [PUBLIC WORKS]
- EP-20. TRAFFIC CONTROL PLAN:
Submit a traffic control plan with the off-site improvement plans for review and approval. Per the City's Temporary Traffic Control Checklist, the traffic control plan shall include a summary of the traffic control types, dates, times and blocks affected. All construction related materials, equipment, and construction workers parking need to be stored on-site and the public streets need to be kept free and clear of construction debris. [COA] [PUBLIC WORKS]
- EP-21. SLURRY SEAL:

-
- Developer shall be responsible to install Type II slurry seal on East Washington Avenue from lip of gutter to street centerline along project frontage [COA] [PUBLIC WORKS]
- EP-22. CITY STREET TREES:
The developer shall install required street trees behind new attached 6-foot wide sidewalk within the public right-of-way along the project frontage as follows: East Washington Avenue: Quercus Kelloggii – California Black Oak. Street trees and frontage landscaping shall be included in the detailed landscape and irrigation plan subject to review and approval by the Department of Public Works prior to issuance of encroachment permit. New street trees shall be 24-inch box size or 15-gallon size spaced approximately 35 feet apart. No street trees are to be planted within 10' of a sanitary sewer lateral. [SDR] [PUBLIC WORKS]
- EP-23. DAMAGE TO EXISTING PUBLIC IMPROVEMENTS:
Developer shall be responsible to rectify any damage to the existing public improvements fronting and adjacent to the project site as a result of project construction, to City's satisfaction by the Public Works Department. All existing conduits shall be protected in place during construction. Any damaged conduits shall be replaced within 7 days at the expense of the developer. [COA] [PUBLIC WORKS]
- EP-24. RECORD DRAWINGS:
Stamped and signed hard copy record drawings of the off-site improvements (including off-site street, sewer, water, storm drain and landscaping plans) shall be submitted to the City prior to encroachment permit sign-off. In addition, streetlight record drawings shall be in AutoCAD format. Developer shall pay the record drawing fee. [COA] [PUBLIC WORKS] (SMC 13.08.160(a))

TM: THE FOLLOWING CONDITIONS SHALL BE MET PRIOR TO THE APPROVAL OF THE FINAL MAP OR PARCEL MAP.
--

- TM-1. PARCEL MAP COMPLIANCE WITH TENTATIVE PARCEL MAP: The parcel map shall be substantially the same as the tentative parcel map. Any alteration of the tentative parcel map after the tentative parcel map is approved is subject to additional approval by the City and may require a public hearing. Sheet "Tentative Parcel Map" submittal dated 05/21/19 is subject to change during plan check process. [COA] [PLANNING/PUBLIC WORKS]

- TM-2. TITLE 18 AND SUBDIVISION MAP ACT:
The submittal, approval and recordation of the parcel map shall be in accordance with the provision of the California Subdivision Map Act and Sunnyvale Municipal Code Title 18 Subdivision requirements. [COA] [PUBLIC WORKS]
- TM-3. RESERVATION/ABANDONMENT OF EASEMENTS:
Reservation of new and/or abandonment of existing public/private utility easement(s), ingress/egress easement(s) necessary for the project shall be delineated on the map or recorded concurrently with the map with a separate instrument. (SMC 18.16.010 (c), Subdivision Map Act §66475 and §66499.20-1/2 for public easements) Quitclaim deed is required for abandonment of private easements prior to map recordation. All easements shall be kept open and free from buildings and structures of any kind except those appurtenances associated with the defined easements. [COA] [PUBLIC WORKS]
- TM-4. STREET EASEMENT DEDICATION:
This project requires a minimum 3-foot wide street easement dedication in form of easement to facilitate a total of 11 feet street right-of-way measured from the face of the curb. [COA] [PUBLIC WORKS]
- TM-5. UTILITY COMPANY APPROVAL:
Obtain map approval letters from the utility companies in regards to any existing or new easements associated with their facilities. [COA] [PUBLIC WORKS]
- TM-6. PUBLIC WORKS DEVELOPMENT FEES:
The developer shall pay all applicable Public Works development fees associated with the project, including but not limited to, utility frontage and/or connection fees and off-site improvement plan check and inspection fees, prior to map recordation or any permit issuance, whichever occurs first. The exact fee amount shall be determined based upon the fee rate at the time of fee payment. [COA] [PUBLIC WORKS]
- TM-7. SUBDIVISION IMPROVEMENT AGREEMENT AND IMPROVEMENT SECURITIES:
The developer shall execute a subdivision improvement agreement and provide improvement securities and/or cash deposit(s) for all proposed public improvements prior to map recordation or any permit issuance, whichever occurs first. Provide an itemized engineer's estimate for all off-site public improvements for the entire project for determination of security amount. [COA] [PUBLIC WORKS]

PF: THE FOLLOWING CONDITIONS SHALL BE ADDRESSED ON THE CONSTRUCTION PLANS AND/OR SHALL BE MET PRIOR TO RELEASE OF UTILITIES OR ISSUANCE OF A CERTIFICATE OF OCCUPANCY.

PF-1. LANDSCAPING AND IRRIGATION:

All landscaping and irrigation as contained in the approved building permit plan shall be installed prior to occupancy. [COA] [PLANNING]

For commercial and industrial projects, to ensure appropriate sewer billing (water used for irrigation may not be billed for sewer), the developer may provide separate (irrigation and other) intake meters. Such meters could be installed prior to occupancy of the building. [COA] [PLANNING]

PF-2. NOISE REDUCTION VERIFICATION:

Acoustical tests shall demonstrate that an interior Ldn scale (day and night average noise level) of 45 dBA is met on the finished units. Such test results shall be furnished to the Director of Community Development prior to occupancy of the units. [COA] [PLANNING]

PF-3. COMPLETION OF PUBLIC IMPROVEMENTS:

Developer shall complete all required public improvements as required and in accordance with City approved plans, prior to any building occupancy. [COA] [PUBLIC WORKS].

DC: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES DURING THE CONSTRUCTION PHASE OF THE PROJECT.

DC-1. BLUEPRINT FOR A CLEAN BAY:

The project shall be in compliance with stormwater best management practices for general construction activity until the project is completed and either final occupancy has been granted. [SDR] [PLANNING]

DC-2. CLIMATE ACTION PLAN – OFF ROAD EQUIPMENT REQUIREMENT:

OR 2.1: Idling times will be minimized either by shutting equipment off when not in use or reducing the maximum idling time to 5 minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations [CCR]), or less. Clear signage will be provided at all access points to remind construction workers of idling restrictions.

OR 2.2: Construction equipment must be maintained per manufacturer's specifications.

OR 2.3: Planning and Building staff will work with project applicants to limit GHG emissions from construction equipment by selecting one of the following measures, at a minimum, as appropriate to the construction project:

- a) Substitute electrified or hybrid equipment for diesel- and gasoline-powered equipment where practical.
- b) Use alternatively fueled construction equipment on-site, where feasible, such as compressed natural gas (CNG), liquefied natural gas (LNG), propane, or biodiesel.
- c) Avoid the use of on-site generators by connecting to grid electricity or utilizing solar-powered equipment.
- d) Limit heavy-duty equipment idling time to a period of 3 minutes or less, exceeding CARB regulation minimum requirements of 5 minutes. [COA] [PLANNING]

DC-3. DUST CONTROL:

At all times, the Bay Area Air Quality Management District's CEQA Guidelines and "Basic Construction Mitigation Measures Recommended for All Proposed Projects", shall be implemented. [COA] [PLANNING]

AT: THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH AT ALL TIMES THAT THE USE PERMITTED BY THIS PLANNING APPLICATION OCCUPIES THE PREMISES.

AT-1. RECYCLING AND SOLID WASTE:

All exterior recycling and solid waste shall be confined to approved receptacles and enclosures. [COA] [PLANNING]

AT-2. EXTERIOR EQUIPMENT:

All unenclosed materials, equipment and/or supplies of any kind shall be maintained within approved enclosure area. Any stacked or stored items shall not exceed the height of the enclosure. Individual air conditioning units shall be screened with architecture or landscaping features. [COA] [PLANNING]

AT-3. DRIVEWAY, LANDSCAPE AND FENCE MAINTENANCE:

The driveway, landscaping and fences shall be installed in accordance with the approved landscape plan and shall thereafter be maintained in a neat, clean, and healthful condition. Trees shall be allowed to grow to the full genetic height and habit (trees shall not be topped). Trees shall be maintained using standard arboriculture practices. [COA] [PLANNING]

AT-4. RECREATIONAL VEHICLE STORAGE PROHIBITED:
Unenclosed storage of any vehicle intended for recreation purposes, including land conveyances, vessels and aircraft, but excluding attached camper bodies and motor homes not exceeding 18 feet in length, shall be prohibited on the premises. [COA] [PLANNING]

AT-5. BMP MAINTENANCE:
The project applicant, owner, landlord, or HOA, must properly maintain any structural or treatment control best management practices to be implemented in the project, as described in the approved Stormwater Management Plan and indicated on the approved building permit plans. [SDR] [PLANNING]

AT-6. BMP RIGHT OF ENTRY:
The project applicant, owner, landlord, or HOA, shall provide access to the extent allowable by law for representatives of city, the local vector control district, and the Regional Water Quality Control Board, strictly for the purposes of verification of proper operation and maintenance for the storm water treatment best management practices contained in the approved Storm Water Management Plan. [SDR] [PLANNING]